

C10orf4 Antibody (monoclonal) (M02)**Mouse monoclonal antibody raised against a partial recombinant C10orf4.****Catalog # AT1325a****Specification**

C10orf4 Antibody (monoclonal) (M02) - Product Information

Application	WB
Primary Accession	Q70Z53
Other Accession	NM_145246
Reactivity	Human, Rat
Host	mouse
Clonality	Monoclonal
Isotype	IgG1 Kappa
Calculated MW	37548

C10orf4 Antibody (monoclonal) (M02) - Additional Information**Gene ID** 118924**Other Names**

Protein FRA10AC1, FRA10AC1, C10orf4

Target/Specificity

C10orf4 (NP_660289, 1 a.a. ~ 100 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.

Dilution

WB~~1:500~1000

Format

Clear, colorless solution in phosphate buffered saline, pH 7.2 .

Storage

Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Precautions

C10orf4 Antibody (monoclonal) (M02) is for research use only and not for use in diagnostic or therapeutic procedures.


C10orf4 Antibody (monoclonal) (M02) - Protocols

Provided below are standard protocols that you may find useful for product applications.


- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)

- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)


C10orf4 Antibody (monoclonal) (M02) - Images



Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (36.74 kDa) .



C10orf4 monoclonal antibody (M02), clone 2C4 Western Blot analysis of C10orf4 expression in PC-12 ((Cat # AT1325a)



Western Blot analysis of C10orf4 expression in transfected 293T cell line by C10orf4 monoclonal antibody (M02), clone 2C4.

Lane 1: C10orf4 transfected lysate(37.6 KDa).
Lane 2: Non-transfected lysate.

C10orf4 Antibody (monoclonal) (M02) - Background

The protein encoded by this gene is a nuclear phosphoprotein of unknown function. The 5' UTR of this gene is part of a CpG island and contains a tandem CGG repeat region that normally consists of 8-14 repeats but can expand to over 200 repeats. The expanded allele becomes hypermethylated and is not transcribed; however, an expanded repeat region has not been associated with any disease phenotype. This gene is found within the rare FRA10A folate-sensitive fragile site.

C10orf4 Antibody (monoclonal) (M02) - References

A scan of chromosome 10 identifies a novel locus showing strong association with late-onset Alzheimer disease. Grupe A, et al. Am J Hum Genet, 2006 Jan. PMID 16385451. A human protein-protein interaction network: a resource for annotating the proteome. Stelzl U, et al. Cell, 2005 Sep 23. PMID 16169070. The status, quality, and expansion of the NIH full-length cDNA project: the Mammalian Gene Collection (MGC). Gerhard DS, et al. Genome Res, 2004 Oct. PMID 15489334. Folate-sensitive fragile site FRA10A is due to an expansion of a CGG repeat in a novel gene, FRA10AC1, encoding a nuclear protein. Sarafidou T, et al. Genomics, 2004 Jul. PMID 15203205. The DNA sequence and comparative analysis of human chromosome 10. Deloukas P, et al. Nature, 2004 May 27. PMID 15164054.