

COL23A1 Antibody (monoclonal) (M03)

Mouse monoclonal antibody raised against a partial recombinant COL23A1. Catalog # AT1582a

Specification

COL23A1 Antibody (monoclonal) (M03) - Product Information

Application WB, E **Primary Accession** 086Y22 Other Accession NM 173465 Reactivity Human Host mouse Clonality **Monoclonal** Isotype IgG2b Kappa Calculated MW 51944

COL23A1 Antibody (monoclonal) (M03) - Additional Information

Gene ID 91522

Other Names

Collagen alpha-1(XXIII) chain, COL23A1

Target/Specificity

COL23A1 (NP 775736, 338 a.a. ~ 410 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.

Dilution

WB~~1:500~1000

Format

Clear, colorless solution in phosphate buffered saline, pH 7.2.

Storage

Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Precautions

COL23A1 Antibody (monoclonal) (M03) is for research use only and not for use in diagnostic or therapeutic procedures.

COL23A1 Antibody (monoclonal) (M03) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry




- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

COL23A1 Antibody (monoclonal) (M03) - Images



Antibody Reactive Against Recombinant Protein.Western Blot detection against Immunogen (33.77 KDa).



Detection limit for recombinant GST tagged COL23A1 is approximately 0.1ng/ml as a capture antibody.

COL23A1 Antibody (monoclonal) (M03) - Background

COL23A1 is a member of the transmembrane collagens, a subfamily of the nonfibrillar collagens that contain a single pass hydrophobic transmembrane domain (Banyard et al., 2003 [PubMed 12644459]).

COL23A1 Antibody (monoclonal) (M03) - References

Collagen XXIII: a potential biomarker for the detection of primary and recurrent non-small cell lung cancer. Spivey KA, et al. Cancer Epidemiol Biomarkers Prev, 2010 May. PMID 20447926.Personalized smoking cessation: interactions between nicotine dose, dependence and quit-success genotype score. Rose JE, et al. Mol Med, 2010 Jul-Aug. PMID 20379614.Association of genetic variants with hemorrhagic stroke in Japanese individuals. Yoshida T, et al. Int J Mol Med, 2010 Apr. PMID 20198315.Assessment of a polymorphism of SDK1 with hypertension in Japanese Individuals. Oguri M, et al. Am J Hypertens, 2010 Jan. PMID 19851296.Association of gene polymorphisms with chronic kidney disease in Japanese individuals. Yoshida T, et al. Int J Mol Med, 2009 Oct. PMID 19724895.