

DLX3 Antibody (monoclonal) (M01)

Mouse monoclonal antibody raised against a full length recombinant DLX3.

Catalog # AT1778a

Specification

DLX3 Antibody (monoclonal) (M01) - Product Information

Application	WB, E
Primary Accession	O60479
Other Accession	BC012361
Reactivity	Human
Host	mouse
Clonality	Monoclonal
Isotype	IgG2a Kappa
Calculated MW	31738

DLX3 Antibody (monoclonal) (M01) - Additional Information

Gene ID 1747

Other Names

Homeobox protein DLX-3, DLX3

Target/Specificity

DLX3 (AAH12361, 1 a.a. ~ 287 a.a) full-length recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.

Dilution

WB~~1:500~1000

Format

Clear, colorless solution in phosphate buffered saline, pH 7.2 .

Storage

Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Precautions

DLX3 Antibody (monoclonal) (M01) is for research use only and not for use in diagnostic or therapeutic procedures.


DLX3 Antibody (monoclonal) (M01) - Protocols

Provided below are standard protocols that you may find useful for product applications.


- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)

- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

DLX3 Antibody (monoclonal) (M01) - Images




Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (57.31 KDa) .



Western Blot analysis of DLX3 expression in transfected 293T cell line by DLX3 monoclonal antibody (M01), clone 4F8.

Lane 1: DLX3 transfected lysate (32 KDa).

Lane 2: Non-transfected lysate.



Detection limit for recombinant GST tagged DLX3 is approximately 1ng/ml as a capture antibody.

DLX3 Antibody (monoclonal) (M01) - Background

Many vertebrate homeo box-containing genes have been identified on the basis of their sequence similarity with *Drosophila* developmental genes. Members of the *Dlx* gene family contain a homeobox that is related to that of *Distal-less* (*Dll*), a gene expressed in the head and limbs of the developing fruit fly. The *Distal-less* (*Dlx*) family of genes comprises at least 6 different members, *DLX1-DLX6*. Trichodontoosseous syndrome (TDO), an autosomal dominant condition, has been correlated with *DLX3* gene mutation. This gene is located in a tail-to-tail configuration with another member of the gene family on the long arm of chromosome 17. Mutations in this gene have been associated with the autosomal dominant conditions trichodontoosseous syndrome and amelogenesis imperfecta with taurodontism.

DLX3 Antibody (monoclonal) (M01) - References

Uncombable hair and atopic dermatitis in a case of trichodento-osseous syndrome. Mayer DE, et al. *J Dtsch Dermatol Ges*, 2010 Feb. PMID 20151948. Thickness and microhardness of deciduous tooth enamel with known *DLX3* mutation. Hyun HK, et al. *Arch Oral Biol*, 2009 Sep. PMID 19608154. High-density association study of 383 candidate genes for volumetric BMD at the femoral neck and lumbar spine among older men. Yerges LM, et al. *J Bone Miner Res*, 2009 Dec. PMID 19453261. Homeodomain protein *Dlx3* induces phosphorylation-dependent p63 degradation. Di Costanzo A, et al. *Cell Cycle*, 2009 Apr 15. PMID 19282665. Candidate gene/loci studies in cleft lip/palate and dental anomalies finds novel susceptibility genes for clefts. Vieira AR, et al. *Genet Med*, 2008 Sep. PMID 18978678.