

FKBP10 Antibody (monoclonal) (M01)

Mouse monoclonal antibody raised against a partial recombinant FKBP10. Catalog # AT2054a

Specification

FKBP10 Antibody (monoclonal) (M01) - Product Information

Application WB, E **Primary Accession 096AY3** NM 021939 Other Accession Reactivity Human Host mouse Clonality **Monoclonal** Isotype IgG2a Kappa Calculated MW 64245

FKBP10 Antibody (monoclonal) (M01) - Additional Information

Gene ID 60681

Other Names

Peptidyl-prolyl cis-trans isomerase FKBP10, PPlase FKBP10, 65 kDa FK506-binding protein, 65 kDa FKBP, FKBP-65, FK506-binding protein 10, FKBP-10, Immunophilin FKBP65, Rotamase, FKBP10, FKBP65

Target/Specificity

FKBP10 (NP 068758, 377 a.a. ~ 470 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.

Dilution

WB~~1:500~1000

Clear, colorless solution in phosphate buffered saline, pH 7.2.

Storage

Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Precautions

FKBP10 Antibody (monoclonal) (M01) is for research use only and not for use in diagnostic or therapeutic procedures.

FKBP10 Antibody (monoclonal) (M01) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides




- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture


FKBP10 Antibody (monoclonal) (M01) - Images



Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (36.08 KDa).



FKBP10 monoclonal antibody (M01), clone 1C6 Western Blot analysis of FKBP10 expression in HeLa ((Cat # AT2054a)



Detection limit for recombinant GST tagged FKBP10 is 1 ng/ml as a capture antibody.

FKBP10 Antibody (monoclonal) (M01) - Background





Tel: 858.875.1900 Fax: 858.875.1999

The protein encoded by this gene belongs to the FKBP-type peptidyl-prolyl cis/trans isomerase (PPlase) family. This protein localizes to the endoplasmic reticulum and acts as a molecular chaperone. Alternatively spliced variants encoding different isoforms have been reported, but their biological validity has not been determined.

FKBP10 Antibody (monoclonal) (M01) - References

Mutations in the gene encoding the RER protein FKBP65 cause autosomal-recessive osteogenesis imperfecta. Alanay Y, et al. Am J Hum Genet, 2010 Apr 9. PMID 20362275.Mammalian BTBD12/SLX4 assembles a Holliday junction resolvase and is required for DNA repair. Svendsen JM, et al. Cell, 2009 Jul 10. PMID 19596235. The rough endoplasmic reticulum-resident FK506-binding protein FKBP65 is a molecular chaperone that interacts with collagens. Ishikawa Y, et al. J Biol Chem, 2008 Nov 14. PMID 18786928.Insulin-dependent interactions of proteins with GLUT4 revealed through stable isotope labeling by amino acids in cell culture (SILAC). Foster LJ, et al. J Proteome Res, 2006 Jan. PMID 16396496. Developmental regulation and coordinate reexpression of FKBP65 with extracellular matrix proteins after lung injury suggest a specialized function for this endoplasmic reticulum immunophilin. Patterson CE, et al. Cell Stress Chaperones, 2005 Winter. PMID 16333983.