

FUBP1 Antibody (monoclonal) (M01)

Mouse monoclonal antibody raised against a partial recombinant FUBP1. Catalog # AT2117a

Specification

FUBP1 Antibody (monoclonal) (M01) - Product Information

Application IF, WB, IHC, E **Primary Accession 096AE4** NM 003902 Other Accession Reactivity Human Host Mouse Clonality **Monoclonal** Isotype IgG2a Kappa Calculated MW 67560

FUBP1 Antibody (monoclonal) (M01) - Additional Information

Gene ID 8880

Other Names

Far upstream element-binding protein 1, FBP, FUSE-binding protein 1, DNA helicase V, hDH V, FUBP1

Target/Specificity

FUBP1 (NP_003893, 27 a.a. \sim 136 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.

Dilution

WB~~1:500~1000

Format

Clear, colorless solution in phosphate buffered saline, pH 7.2.

Storage

Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Precautions

FUBP1 Antibody (monoclonal) (M01) is for research use only and not for use in diagnostic or therapeutic procedures.

FUBP1 Antibody (monoclonal) (M01) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot




- <u>Immunohistochemistry</u>
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture


FUBP1 Antibody (monoclonal) (M01) - Images



Immunofluorescence of monoclonal antibody to FUBP1 on HeLa cell . [antibody concentration 10 ug/ml]



Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (37.84 KDa).







Western Blot analysis of FUBP1 expression in transfected 293T cell line by FUBP1 monoclonal antibody (M01), clone 3H4.

Lane 1: FUBP1 transfected lysate(68.6 KDa).


Lane 2: Non-transfected lysate.



Western blot analysis of FUBP1 over-expressed 293 cell line, cotransfected with FUBP1 Validated Chimera RNAi ((Cat # AT2117a)



Immunoperoxidase of monoclonal antibody to FUBP1 on formalin-fixed paraffin-embedded human placenta. [antibody concentration 3 ug/ml]



Detection limit for recombinant GST tagged FUBP1 is approximately 0.03ng/ml as a capture antibody.

FUBP1 Antibody (monoclonal) (M01) - Background





This gene encodes a ssDNA binding protein that activates the far upstream element (FUSE) of c-myc and stimulates expression of c-myc in undifferentiated cells. Regulation of FUSE by FUBP occurs through single-strand binding of FUBP to the non-coding strand. This protein has been shown to function as an ATP-dependent DNA helicase.

FUBP1 Antibody (monoclonal) (M01) - References

Quantitative characterization of the interactions among c-myc transcriptional regulators FUSE, FBP, and FIR. Hsiao HH, et al. Biochemistry, 2010 Jun 8. PMID 20420426.Overexpression of the far upstream element binding protein 1 in hepatocellular carcinoma is required for tumor growth. Rabenhorst U, et al. Hepatology, 2009 Oct. PMID 19637194. Overexpression of far upstream element binding proteins: a mechanism regulating proliferation and migration in liver cancer cells. Malz M, et al. Hepatology, 2009 Oct. PMID 19585652. Far upstream element-binding protein-1, a novel caspase substrate, acts as a cross-talker between apoptosis and the c-myc oncogene. Jang M, et al. Oncogene, 2009 Mar 26. PMID 19219071. Prefrontal cortex shotgun proteome analysis reveals altered calcium homeostasis and immune system imbalance in schizophrenia. Martins-de-Souza D, et al. Eur Arch Psychiatry Clin Neurosci, 2009 Apr. PMID 19165527.