10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

GABPA Antibody (monoclonal) (M03)

Mouse monoclonal antibody raised against a full length recombinant GABPA.
Catalog # AT2139a

Specification

GABPA Antibody (monoclonal) (M03) - Product Information

Application	**IF, IP, WB, E**
Primary Accession	Q06546
Other Accession	BC035031
Reactivity	**Human**
Host	**mouse**
Clonality	**Monoclonal**
Isotype	**IgG1 Kappa**
Calculated MW	**51295**

GABPA Antibody (monoclonal) (M03) - Additional Information

Gene ID 2551

Other Names
GA-binding protein alpha chain, GABP subunit alpha, Nuclear respiratory factor 2 subunit alpha, Transcription factor E4TF1-60, GABPA, E4TF1A

Target/Specificity
GABPA (AAH35031, 1 a.a. ~ 454 a.a) full-length recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.

Dilution
WB~~1:500~1000

Format
Clear, colorless solution in phosphate buffered saline, pH 7.2 .

Storage
Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Precautions
GABPA Antibody (monoclonal) (M03) is for research use only and not for use in diagnostic or therapeutic procedures.

GABPA Antibody (monoclonal) (M03) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot


10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture


GABPA Antibody (monoclonal) (M03) - Images



Immunofluorescence of monoclonal antibody to GABPA on HeLa cell. [antibody concentration 10 ug/ml]




Immunoprecipitation of GABPA transfected lysate using anti-GABPA monoclonal antibody and Protein A Magnetic Bead (U0007), and immunoblotted with GABPA monoclonal antibody.




Antibody Reactive Against Recombinant Protein.Western Blot detection against Immunogen

10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

(75.68 KDa) .




GABPA monoclonal antibody (M03), clone M1 Western Blot analysis of GABPA expression in Hela S3 NE ((Cat # AT2139a)



Western Blot analysis of GABPA expression in transfected 293T cell line by GABPA monoclonal antibody (M03), clone M1.

Lane 1: GABPA transfected lysate (Predicted MW: 51.3 KDa).
Lane 2: Non-transfected lysate.



Detection limit for recombinant GST tagged GABPA is approximately 1ng/ml as a capture antibody.

GABPA Antibody (monoclonal) (M03) - Background

This gene encodes one of three GA-binding protein transcription factor subunits which functions as

a DNA-binding subunit. Since this subunit shares identity with a subunit encoding the nuclear respiratory factor 2 gene, it is likely involved in activation of cytochrome oxidase expression and nuclear control of mitochondrial function. This subunit also shares identity with a subunit constituting the transcription factor E4TF1, responsible for expression of the adenovirus E4 gene. Because of its chromosomal localization and ability to form heterodimers with other polypeptides, this gene may play a role in the Down Syndrome phenotype.

GABPA Antibody (monoclonal) (M03) - References

C-Myc is a Nrf2-interacting protein that negatively regulates phase II genes through their electrophile responsive elements. Levy S, et al. IUBMB Life, 2010 Mar. PMID 20232342.Interaction between SNPs in the NRF2 gene and elite endurance performance. Eynon N, et al. Physiol Genomics, 2010 Mar 3. PMID 20028934.Oncogenic NRF2 mutations in squamous cell carcinomas of oesophagus and skin. Kim YR, et al. J Pathol, 2010 Mar. PMID 19967722.Nuclear respiratory factor 2 induces the expression of many but not all human proteins acting in mitochondrial DNA transcription and replication. Bruni F, et al. J Biol Chem, 2010 Feb 5. PMID 19951946.Elucidation of the ELK1 target gene network reveals a role in the coordinate regulation of core components of the gene regulation machinery. Boros J, et al. Genome Res, 2009 Nov. PMID 19687146.