

# GDF7 Antibody (monoclonal) (M03)

Mouse monoclonal antibody raised against a partial recombinant GDF7. Catalog # AT2186a

#### Specification

# GDF7 Antibody (monoclonal) (M03) - Product Information

Application Primary Accession Other Accession Reactivity Host Clonality Isotype Calculated MW E <u>Q7Z4P5</u> <u>NM\_182828</u> Human mouse Monoclonal IgG2a Kappa 46950

# GDF7 Antibody (monoclonal) (M03) - Additional Information

Gene ID 151449

Other Names Growth/differentiation factor 7, GDF-7, GDF7

**Target/Specificity** GDF7 (NP\_878248, 361 a.a. ~ 450 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.

Format Clear, colorless solution in phosphate buffered saline, pH 7.2 .

**Storage** Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

**Precautions** GDF7 Antibody (monoclonal) (M03) is for research use only and not for use in diagnostic or therapeutic procedures.


#### GDF7 Antibody (monoclonal) (M03) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- <u>Blocking Peptides</u>
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety



#### • <u>Cell Culture</u> GDF7 Antibody (monoclonal) (M03) - Images



Detection limit for recombinant GST tagged GDF7 is approximately 1ng/ml as a capture antibody. GDF7 Antibody (monoclonal) (M03) - Background

This gene encodes a member of the bone morphogenetic protein (BMP) family. BMPs belong to the transforming growth factor-beta superfamily of secreted signalling molecules that regulate diverse processes in growth, repair and embryonic development. In mouse, this gene functions as an inductive signal from the roof plate required for the specification of neuronal identity in the dorsal spinal cord.

# GDF7 Antibody (monoclonal) (M03) - References

An approach based on a genome-wide association study reveals candidate loci for narcolepsy. Shimada M, et al. Hum Genet, 2010 Oct. PMID 20677014.New genetic associations detected in a host response study to hepatitis B vaccine. Davila S, et al. Genes Immun, 2010 Apr. PMID 20237496.Effects of cartilage-derived morphogenetic protein-3 on the expression of chondrogenic and osteoblastic markers in the pluripotent mesenchymal C3H10T1/2 cell line. Yeh LC, et al. Growth Factors, 2010 Apr. PMID 20102312.Identification of receptors and signaling pathways for orphan bone morphogenetic protein/growth differentiation factor ligands based on genomic analyses. Mazerbourg S, et al. J Biol Chem, 2005 Sep 16. PMID 16049014.A role for BMP heterodimers in roof plate-mediated repulsion of commissural axons. Butler SJ, et al. Neuron, 2003 May 8. PMID 12741987.