

HEYL Antibody (monoclonal) (M02)

Mouse monoclonal antibody raised against a partial recombinant HEYL. Catalog # AT2359a

Specification

HEYL Antibody (monoclonal) (M02) - Product Information

Application Primary Accession Other Accession Reactivity Host Clonality Isotype Calculated MW IF, WB, E <u>O9NO87</u> <u>NM_014571</u> Human mouse Monoclonal IgG2b Kappa 35087

HEYL Antibody (monoclonal) (M02) - Additional Information

Gene ID 26508

Other Names Hairy/enhancer-of-split related with YRPW motif-like protein, hHeyL, Class B basic helix-loop-helix protein 33, bHLHb33, Hairy-related transcription factor 3, HRT-3, hHRT3, HEYL, BHLHB33, HRT3

Target/Specificity HEYL (NP_055386, 221 a.a. ~ 327 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.

Dilution WB~~1:500~1000

Format Clear, colorless solution in phosphate buffered saline, pH 7.2 .

Storage

Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Precautions

HEYL Antibody (monoclonal) (M02) is for research use only and not for use in diagnostic or therapeutic procedures.

HEYL Antibody (monoclonal) (M02) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- <u>Western Blot</u>
- Blocking Peptides
- Dot Blot




- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- <u>Cell Culture</u>

HEYL Antibody (monoclonal) (M02) - Images



Immunofluorescence of monoclonal antibody to HEYL on HeLa cell. [antibody concentration 10 ug/ml]




Antibody Reactive Against Recombinant Protein.Western Blot detection against Immunogen (37.51 KDa).

250 - 150 - 100 - 75 -	
50 -	
37 -	-
25-	
20 -	
15-	
10-	


HEYL monoclonal antibody (M02), clone 4A11. Western Blot analysis of HEYL expression in LNCaP



((Cat # AT2359a)



HEYL monoclonal antibody (M02), clone 4A11 Western Blot analysis of HEYL expression in Hela S3 NE ((Cat # AT2359a)



Detection limit for recombinant GST tagged HEYL is approximately 0.3ng/ml as a capture antibody.

HEYL Antibody (monoclonal) (M02) - Background

This gene encodes a member of the hairy and enhancer of split-related (HESR) family of basic helix-loop-helix (bHLH)-type transcription factors. The sequence of the encoded protein contains a conserved bHLH and orange domain, but its YRPW motif has diverged from other HESR family members. It is thought to be an effector of Notch signaling and a regulator of cell fate decisions. Alternatively spliced transcript variants have been found, but their biological validity has not been determined.

HEYL Antibody (monoclonal) (M02) - References

Towards a proteome-scale map of the human protein-protein interaction network. Rual JF, et al. Nature, 2005 Oct 20. PMID 16189514.Hesr, a mediator of the Notch signaling, functions in heart and vessel development. Kokubo H, et al. Trends Cardiovasc Med, 2005 Jul. PMID 16165016.Functional proteomics mapping of a human signaling pathway. Colland F, et al. Genome Res, 2004 Jul. PMID 15231748.HES and HERP families: multiple effectors of the Notch signaling pathway. Iso T, et al. J Cell Physiol, 2003 Mar. PMID 12548545.Generation and initial analysis of more than 15,000 full-length human and mouse cDNA sequences. Strausberg RL, et al. Proc Natl Acad Sci U S A, 2002 Dec 24. PMID 12477932.