

HPCAL4 Antibody (monoclonal) (M01)

Mouse monoclonal antibody raised against a full length recombinant HPCAL4.

Catalog # AT2432a

Specification

HPCAL4 Antibody (monoclonal) (M01) - Product Information

Application	WB, E
Primary Accession	O9UM19
Other Accession	BC030827
Reactivity	Human
Host	Mouse
Clonality	Monoclonal
Isotype	IgG2a kappa
Calculated MW	22202

HPCAL4 Antibody (monoclonal) (M01) - Additional Information

Gene ID 51440

Other Names

Hippocalcin-like protein 4, HLP4, HPCAL4

Target/Specificity

HPCAL4 (AAH30827, 1 a.a. ~ 191 a.a) full-length recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.

Dilution

WB~~1:500~1000

Format

Clear, colorless solution in phosphate buffered saline, pH 7.2 .

Storage

Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Precautions

HPCAL4 Antibody (monoclonal) (M01) is for research use only and not for use in diagnostic or therapeutic procedures.


HPCAL4 Antibody (monoclonal) (M01) - Protocols

Provided below are standard protocols that you may find useful for product applications.


- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)

- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

HPCAL4 Antibody (monoclonal) (M01) - Images




Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (46.75 KDa) .



Western Blot analysis of HPCAL4 expression in transfected 293T cell line by HPCAL4 monoclonal antibody (M01), clone 2B11.

Lane 1: HPCAL4 transfected lysate (22.2 KDa).

Lane 2: Non-transfected lysate.



Detection limit for recombinant GST tagged HPCAL4 is approximately 0.1ng/ml as a capture antibody.

HPCAL4 Antibody (monoclonal) (M01) - Background

The protein encoded by this gene is highly similar to human hippocalcin protein and hippocalcin like-1 protein. It also has similarity to rat neural visinin-like Ca²⁺-binding protein-type 1 and 2 proteins. This encoded protein may be involved in the calcium-dependent regulation of rhodopsin phosphorylation. The transcript of this gene has multiple polyadenylation sites. [provided by RefSeq]