

NGFRAP1 Antibody (monoclonal) (M01)**Mouse monoclonal antibody raised against a partial recombinant NGFRAP1.****Catalog # AT3046a****Specification**

NGFRAP1 Antibody (monoclonal) (M01) - Product Information

Application	WB, E
Primary Accession	Q00994
Other Accession	BC003190
Reactivity	Human
Host	mouse
Clonality	Monoclonal
Isotype	IgG2b Kappa
Calculated MW	12959

NGFRAP1 Antibody (monoclonal) (M01) - Additional Information**Gene ID** 27018**Other Names**

Protein BEX3, Brain-expressed X-linked protein 3, Nerve growth factor receptor-associated protein 1, Ovarian granulosa cell 130 kDa protein HGR74, p75NTR-associated cell death executor, NGFRAP1, BEX3, DXS6984E, NADE

Target/Specificity

NGFRAP1 (AAH03190, 1 a.a. ~ 110 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.

Dilution

WB~~1:500~1000

Format

Clear, colorless solution in phosphate buffered saline, pH 7.2 .

Storage

Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Precautions

NGFRAP1 Antibody (monoclonal) (M01) is for research use only and not for use in diagnostic or therapeutic procedures.


NGFRAP1 Antibody (monoclonal) (M01) - Protocols

Provided below are standard protocols that you may find useful for product applications.


- [Western Blot](#)
- [Blocking Peptides](#)

- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

NGFRAP1 Antibody (monoclonal) (M01) - Images



Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (37.73 KDa) .



Detection limit for recombinant GST tagged NGFRAP1 is approximately 0.3ng/ml as a capture antibody.

NGFRAP1 Antibody (monoclonal) (M01) - References

Toward a confocal subcellular atlas of the human proteome. Barbe L, et al. Mol Cell Proteomics, 2008 Mar. PMID 18029348. The TSC1 gene product hamartin interacts with NADE. Yasui S, et al. Mol Cell Neurosci, 2007 May. PMID 17355907. Characterization of human dopamine responsive protein DRG-1 that binds to p75NTR-associated cell death executor NADE. Yu Y, et al. Brain Res, 2006 Jul 19. PMID 16777077. Towards a proteome-scale map of the human protein-protein interaction network. Rual JF, et al. Nature, 2005 Oct 20. PMID 16189514. Characterization of the Bex gene family in humans, mice, and rats. Alvarez E, et al. Gene, 2005 Aug 29. PMID 15958283.