

#### PML Antibody (monoclonal) (M02)

Mouse monoclonal antibody raised against a partial recombinant PML. Catalog # AT3354a

## **Specification**

## PML Antibody (monoclonal) (M02) - Product Information

**Application** IF, WB, E **Primary Accession** P29590 Other Accession BC000080 Reactivity Human, Rat Host mouse Clonality **Monoclonal** Isotype IgG2a Kappa Calculated MW 97551

## PML Antibody (monoclonal) (M02) - Additional Information

#### **Gene ID 5371**

#### **Other Names**

Protein PML, Promyelocytic leukemia protein, RING finger protein 71, Tripartite motif-containing protein 19, PML, MYL, PP8675, RNF71, TRIM19

#### Target/Specificity

PML (AAH00080, 411 a.a. ~ 510 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.

### **Dilution**

WB~~1:500~1000

#### **Format**

Clear, colorless solution in phosphate buffered saline, pH 7.2.

Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

#### **Precautions**

PML Antibody (monoclonal) (M02) is for research use only and not for use in diagnostic or therapeutic procedures.

#### PML Antibody (monoclonal) (M02) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot




- <u>Immunohistochemistry</u>
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture


# PML Antibody (monoclonal) (M02) - Images



Immunofluorescence of monoclonal antibody to PML on HeLa cell. [antibody concentration 10 ug/ml]





Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (36.63 KDa) .




PML monoclonal antibody (M02), clone 1D12. Western Blot analysis of PML expression in








PML monoclonal antibody (M02), clone 1D12 Western Blot analysis of PML expression in Hela S3 NE ( (Cat # AT3354a )



Detection limit for recombinant GST tagged PML is approximately 0.3ng/ml as a capture antibody.



Proximity Ligation Analysis of protein-protein interactions between TP53 and PML HeLa cells were stained with anti-TP53 rabbit purified polyclonal 1:1200 and anti-PML mouse monoclonal antibody 1:50. Each red dot represents the detection of protein-protein interaction complex, and nuclei were counterstained with DAPI (blue).

# PML Antibody (monoclonal) (M02) - Background

The protein encoded by this gene is a member of the tripartite motif (TRIM) family. The TRIM motif includes three zinc-binding domains, a RING, a B-box type 1 and a B-box type 2, and a coiled-coil region. This phosphoprotein localizes to nuclear bodies where it functions as a transcription factor and tumor suppressor. Its expression is cell-cycle related and it regulates the p53 response to oncogenic signals. The gene is often involved in the translocation with the retinoic acid receptor alpha gene associated with acute promyelocytic leukemia (APL). Extensive alternative splicing of





Tel: 858.875.1900 Fax: 858.875.1999

this gene results in several variations of the protein's central and C-terminal regions; all variants encode the same N-terminus. Alternatively spliced transcript variants encoding different isoforms have been identified.

## PML Antibody (monoclonal) (M02) - References

PML down-regulation in soft tissue sarcomas. Vincenzi B, et al. J Cell Physiol, 2010 Sep. PMID 20578240. Analysis of t(15;17) chromosomal breakpoint sequences in therapy-related versus de novo acute promyelocytic leukemia: association of DNA breaks with specific DNA motifs at PML and RARA loci. Hasan SK, et al. Genes Chromosomes Cancer, 2010 Aug. PMID 20544846.Two-step colocalization of MORC3 with PML nuclear bodies. Mimura Y, et al. J Cell Sci, 2010 Jun 15. PMID 20501696. Personalized smoking cessation: interactions between nicotine dose, dependence and quit-success genotype score. Rose JE, et al. Mol Med, 2010 Jul-Aug. PMID 20379614. Dysregulation of promyelocytic leukemia (PML) protein expression in preeclamptic placentae. Leavenworth JD, et al. Reprod Sci, 2010 Apr. PMID 20228380.