

PPA1 Antibody (monoclonal) (M01)

Mouse monoclonal antibody raised against a partial recombinant PPA1. Catalog # AT3391a

Specification

PPA1 Antibody (monoclonal) (M01) - Product Information

Application WB, E **Primary Accession** 015181 NM 021129 Other Accession **Human, Rat** Reactivity Host mouse Clonality **Monoclonal** Isotype IgG1 Kappa Calculated MW 32660

PPA1 Antibody (monoclonal) (M01) - Additional Information

Gene ID 5464

Other Names

Inorganic pyrophosphatase, Pyrophosphate phospho-hydrolase, PPase, PPA1, IOPPP, PP

Target/Specificity

PPA1 (NP_066952, 10 a.a. ~ 111 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.

Dilution

WB~~1:500~1000

Format

Clear, colorless solution in phosphate buffered saline, pH 7.2.

Storage

Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Precautions

PPA1 Antibody (monoclonal) (M01) is for research use only and not for use in diagnostic or therapeutic procedures.

PPA1 Antibody (monoclonal) (M01) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry




- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture


PPA1 Antibody (monoclonal) (M01) - Images



Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (36.96 KDa).




PPA1 monoclonal antibody (M01), clone 3B2. Western Blot analysis of PPA1 expression in PC-12 ((Cat # AT3391a)



PPA1 monoclonal antibody (M01), clone 3B2 Western Blot analysis of PPA1 expression in A-431 (







Detection limit for recombinant GST tagged PPA1 is approximately 1ng/ml as a capture antibody.

PPA1 Antibody (monoclonal) (M01) - Background

The protein encoded by this gene is a member of the inorganic pyrophosphatase (PPase) family. PPases catalyze the hydrolysis of pyrophosphate to inorganic phosphate, which is important for the phosphate metabolism of cells. Studies of a similar protein in bovine suggested a cytoplasmic localization of this enzyme.

PPA1 Antibody (monoclonal) (M01) - References

Localization of the structural genes for hexokinase-1 and inorganic pyrophosphatase on region (pter-->q24) of human chromosome 10. Chern CJ. Cytogenet Cell Genet, 1976. PMID 17494625.[Identification of the proteins interacting with neuroprotective peptide humanin in a yeast two-hybrid system] Maksimov VV, et al. Genetika, 2006 Feb. PMID 16583711.Proteomic analysis of SUMO4 substrates in HEK293 cells under serum starvation-induced stress. Guo D, et al. Biochem Biophys Res Commun, 2005 Dec 2. PMID 16236267.A human protein-protein interaction network: a resource for annotating the proteome. Stelzl U, et al. Cell, 2005 Sep 23. PMID 16169070.Proteomics of human umbilical vein endothelial cells applied to etoposide-induced apoptosis. Bruneel A, et al. Proteomics, 2005 Oct. PMID 16130169.