

PTHLH Antibody (monoclonal) (M01)

Mouse monoclonal antibody raised against a full length recombinant PTHLH. Catalog # AT3487a

Specification

PTHLH Antibody (monoclonal) (M01) - Product Information

Application IF, WB, IHC, E **Primary Accession** P12272 BC005961 Other Accession Reactivity Human Host mouse Clonality **Monoclonal** Isotype IgG2b kappa Calculated MW 20194

PTHLH Antibody (monoclonal) (M01) - Additional Information

Gene ID 5744

Other Names

Parathyroid hormone-related protein, PTH-rP, PTHrP, Parathyroid hormone-like protein, PLP, PTHrP[1-36], PTHrP[38-94], Osteostatin, PTHrP[107-139], PTHLH, PTHRP

Target/Specificity

PTHLH (AAH05961, 1 a.a. \sim 175 a.a) full-length recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.

Dilution

WB~~1:500~1000

Format

Clear, colorless solution in phosphate buffered saline, pH 7.2.

Storage

Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Precautions

PTHLH Antibody (monoclonal) (M01) is for research use only and not for use in diagnostic or therapeutic procedures.

PTHLH Antibody (monoclonal) (M01) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot




- Immunohistochemistry
- <u>Immunofluorescence</u>
- Immunoprecipitation
- Flow Cytomety
- Cell Culture


PTHLH Antibody (monoclonal) (M01) - Images



Immunofluorescence of monoclonal antibody to PTHLH on HeLa cell . [antibody concentration 10 ug/ml]




Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (44.99 KDa) .



Immunoperoxidase of monoclonal antibody to PTHLH on formalin-fixed paraffin-embedded human placenta. [antibody concentration 3 ug/ml]





Detection limit for recombinant GST tagged PTHLH is approximately 0.3ng/ml as a capture antibody.

PTHLH Antibody (monoclonal) (M01) - Background

The protein encoded by this gene is a member of the parathyroid hormone family. This hormone regulates endochondral bone development and epithelial-mesenchymal interactions during the formation of the mammary glands and teeth. This hormone is involved in lactation possibly by regulating the mobilization and transfer of calcium to the milk. The receptor of this hormone, PTHR1, is responsible for most cases of humoral hypercalcemia of malignancy. Four alternatively spliced transcript variants encoding two distinct isoforms have been observed. There is also evidence for alternative translation initiation from non-AUG (CUG and GUG) start sites, in-frame and downstream of the initiator AUG codon, to give rise to nuclear forms of this hormone.

PTHLH Antibody (monoclonal) (M01) - References

1.The Expression of PTHLH in Human Gastric Mucosa Enterochromaffin-Like Cells.Liu C, Chen J, Guo Y, Yang L, Zhao C, Bai L.Dig Dis Sci. 2010 Sep 16. [Epub ahead of print]