

SCAND2 Antibody (monoclonal) (M02)**Mouse monoclonal antibody raised against a partial recombinant SCAND2.****Catalog # AT3780a****Specification**

SCAND2 Antibody (monoclonal) (M02) - Product Information

Application	IF, WB
Primary Accession	O9GZW5
Other Accession	NM_022050
Reactivity	Human
Host	mouse
Clonality	Monoclonal
Isotype	IgG1 Kappa
Calculated MW	34217

SCAND2 Antibody (monoclonal) (M02) - Additional Information**Other Names**

Putative SCAN domain-containing protein SCAND2P, SCAN domain-containing protein 2 pseudogene, SCAND2P, SCAND2

Target/Specificity

SCAND2 (NP_071333, 1 a.a. ~ 62 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 kDa.

Dilution

WB~~1:500~1000

Format

Clear, colorless solution in phosphate buffered saline, pH 7.2 .

Storage

Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Precautions

SCAND2 Antibody (monoclonal) (M02) is for research use only and not for use in diagnostic or therapeutic procedures.


SCAND2 Antibody (monoclonal) (M02) - Protocols

Provided below are standard protocols that you may find useful for product applications.


- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)

- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)


SCAND2 Antibody (monoclonal) (M02) - Images



Immunofluorescence of monoclonal antibody to SCAND2 on HeLa cell . [antibody concentration 10 ug/ml]



Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (32.56 KDa) .



Western Blot analysis of SCAND2 expression in transfected 293T cell line by SCAND2 monoclonal antibody (M02), clone 5F1.

Lane 1: SCAND2 transfected lysate(18 KDa).
Lane 2: Non-transfected lysate.