

TBC1D8 Antibody (monoclonal) (M02)**Mouse monoclonal antibody raised against a partial recombinant TBC1D8.****Catalog # AT4161a****Specification**

TBC1D8 Antibody (monoclonal) (M02) - Product Information

Application	IF, WB, E
Primary Accession	O95759
Other Accession	NM_007063
Reactivity	Human
Host	mouse
Clonality	Monoclonal
Isotype	IgG2a Kappa
Calculated MW	130835

TBC1D8 Antibody (monoclonal) (M02) - Additional Information**Gene ID** 11138**Other Names**

TBC1 domain family member 8, AD 3, Vascular Rab-GAP/TBC-containing protein, TBC1D8, VRP

Target/Specificity

TBC1D8 (NP_008994, 1 a.a. ~ 110 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.

Dilution

WB~~1:500~1000

Format

Clear, colorless solution in phosphate buffered saline, pH 7.2 .

Storage

Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Precautions

TBC1D8 Antibody (monoclonal) (M02) is for research use only and not for use in diagnostic or therapeutic procedures.


TBC1D8 Antibody (monoclonal) (M02) - Protocols

Provided below are standard protocols that you may find useful for product applications.


- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)

- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)


TBC1D8 Antibody (monoclonal) (M02) - Images




Immunofluorescence of monoclonal antibody to TBC1D8 on HeLa cell. [antibody concentration 10 ug/ml]



Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (37.84 KDa) .



TBC1D8 monoclonal antibody (M02), clone 1A12 Western Blot analysis of TBC1D8 expression in K-562 ((Cat # AT4161a)



Detection limit for recombinant GST tagged TBC1D8 is approximately 3ng/ml as a capture antibody.