10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

ZFYVE19 Antibody (monoclonal) (M01)

Mouse monoclonal antibody raised against a full length recombinant ZFYVE19.
Catalog # AT4575a

Specification

ZFYVE19 Antibody (monoclonal) (M01) - Product Information

Application	**IF, WB**
Primary Accession	Q96K21
Other Accession	BC015738
Reactivity	**Human**
Host	**mouse**
Clonality	**Monoclonal**
Isotype	**IgG1 kappa**
Calculated MW	**51546**

ZFYVE19 Antibody (monoclonal) (M01) - Additional Information

Gene ID 84936

Other Names
Abscission/NoCut checkpoint regulator, ANCHR, MLL partner containing FYVE domain, Zinc finger FYVE domain-containing protein 19, ZFYVE19, ANCHR, MPFYVE

Target/Specificity
ZFYVE19 (AAH15738.1, 1 a.a. ~ 396 a.a) full-length recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.

Dilution
WB~~1:500~1000

Format
Clear, colorless solution in phosphate buffered saline, pH 7.2 .

Storage
Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Precautions
ZFYVE19 Antibody (monoclonal) (M01) is for research use only and not for use in diagnostic or therapeutic procedures.

ZFYVE19 Antibody (monoclonal) (M01) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot


10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture


ZFYVE19 Antibody (monoclonal) (M01) - Images



Immunofluorescence of monoclonal antibody to ZFYVE19 on HeLa cell. [antibody concentration 10 ug/ml]



Antibody Reactive Against Recombinant Protein.Western Blot detection against Immunogen (69.3 KDa) .



ZFYVE19 monoclonal antibody (M01), clone 4D5-2D11 Western Blot analysis of ZFYVE19

expression in PLC/PRF/5 ((Cat # AT4575a)

ZFYVE19 Antibody (monoclonal) (M01) - References

1.Serologic Markers of Effective Tumor Immunity against Chronic Lymphocytic Leukemia Include Nonmutated B-Cell Antigens.Marina O, Hainz U, Biernacki MA, Zhang W, Cai A, Duke-Cohan JS, Liu F, Brusic V, Neuberg D, Kutok JL, Alyea EP, Canning CM, Soiffer RJ, Ritz J, Wu CJ.Cancer Res. 2010 Feb 15;70(4):1344-55. Epub 2010 Feb 2.