10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

HNRNPUL2 Antibody (Center)
Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AW5598

Specification

HNRNPUL2 Antibody (Center) - Product Information

Application	**WB, IHC,E**
Primary Accession	Q1KMD3
Other Accession	Q00PI9
Reactivity	**Human**
Predicted	**Dog**
Host	**Rabbit**
Clonality	**Polyclonal**
Calculated MW	**H=85;M=85 KDa**
Isotype	**Rabbit IgG**
Antigen Source	**HUMAN**

HNRNPUL2 Antibody (Center) - Additional Information

Gene ID 221092

Antigen Region
317-350

Other Names
Heterogeneous nuclear ribonucleoprotein U-like protein 2, Scaffold-attachment factor A2, SAF-A2, HNRNPUL2, HNRPUL2

Dilution
WB~~1:2000
IHC~~1:25

Target/Specificity
This HNRNPUL2 antibody is generated from a rabbit immunized with a KLH conjugated synthetic peptide between 317-350 amino acids from the Central region of human HNRNPUL2.

Storage
Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions
HNRNPUL2 Antibody (Center) is for research use only and not for use in diagnostic or therapeutic procedures.

HNRNPUL2 Antibody (Center) - Protein Information

Name HNRNPUL2

10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

Synonyms HNRPUL2


Cellular Location
Nucleus {ECO:0000250|UniProtKB:Q00PI9}.

HNRNPUL2 Antibody (Center) - Protocols

Provided below are standard protocols that you may find useful for product applications.


- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

HNRNPUL2 Antibody (Center) - Images



All lanes : Anti-HNRNPUL2 Antibody (Center) at 1:2000 dilution Lane 1: 293T/17 whole cell lysate Lane 2: Hela whole cell lysate Lane 3: Jurkat whole cell lysate Lane 4: MCF-7 whole cell lysate Lysates/proteins at 20 µg per lane. Secondary Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/10000 dilution. Predicted band size : 85 kDa Blocking/Dilution buffer: 5% NFDM/TBST.

10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999



AW5598 staining HNRNPUL2 in human stomach tissue sections by Immunohistochemistry (IHC-P - paraformaldehyde-fixed, paraffin-embedded sections). Tissue was fixed with formaldehyde and blocked with 3% BSA for 0. 5 hour at room temperature; antigen retrieval was by heat mediation with a citrate buffer (pH6). Samples were incubated with primary antibody (1/25) for 1 hours at 37°C. A undiluted biotinylated goat polyvalent antibody was used as the secondary antibody.

HNRNPUL2 Antibody (Center) - References

Herrmann F.,et al.Submitted (MAR-2006) to the EMBL/GenBank/DDBJ databases.
Bechtel S.,et al.BMC Genomics 8:399-399(2007).
Bienvenut W.V.,et al.Submitted (DEC-2008) to UniProtKB.
Burkard T.R.,et al.BMC Syst. Biol. 5:17-17(2011).