10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

WDR92 Antibody (C-term) Blocking peptide
Synthetic peptide
Catalog # BP10303b

Specification

WDR92 Antibody (C-term) Blocking peptide - Product Information

Primary Accession	Q96MX6
Other Accession	NP_612467.1

WDR92 Antibody (C-term) Blocking peptide - Additional Information

Gene ID 116143

Other Names
WD repeat-containing protein 92, WD repeat-containing protein Monad, WDR92

Format
Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

Storage
Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

Precautions
This product is for research use only. Not for use in diagnostic or therapeutic procedures.

WDR92 Antibody (C-term) Blocking peptide - Protein Information

Name DNAAF10 (HGNC:25176)

Synonyms WDR92

Function
Key assembly factor specifically required for the stability of axonemal dynein heavy chains in cytoplasm.

Cellular Location
Dynein axonemal particle {ECO:0000250|UniProtKB:A8J3F6}

Tissue Location
Widely expressed with the highest expression in testis.

WDR92 Antibody (C-term) Blocking peptide - Protocols

Provided below are standard protocols that you may find useful for product applications.

10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

- Blocking Peptides

WDR92 Antibody (C-term) Blocking peptide - Images

WDR92 Antibody (C-term) Blocking peptide - Background

The WD40 repeat domain is a common structural module ineukaryotes, and proteins containing WD40 domains have a diverserange of functions, including signal transduction, cell cycleregulation, RNA splicing, and transcription (Saeki et al., 2006[PubMed 16487927]).

WDR92 Antibody (C-term) Blocking peptide - References

Cloutier, P., et al. Methods 48(4):381-386(2009)Han, Z., et al. Mol. Cell 22(1):137-144(2006)Saeki, M., et al. Biochem. Biophys. Res. Commun. 342(2):568-572(2006)