

ZFYVE28 Antibody (C-term) Blocking Peptide
Synthetic peptide
Catalog # BP10577b**Specification**

ZFYVE28 Antibody (C-term) Blocking Peptide - Product Information

Primary Accession [O9HCC9](#)
Other Accession [NP_001166130.1](#), [NP_066023.2](#),
[NP_001166131.1](#), [NP_001166127.1](#),
[NP_001166129.1](#)

ZFYVE28 Antibody (C-term) Blocking Peptide - Additional Information

Gene ID 57732

Other Names

Lateral signaling target protein 2 homolog, hLst2, Zinc finger FYVE domain-containing protein 28, ZFYVE28, KIAA1643, LST2

Format

Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

Storage

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

Precautions

This product is for research use only. Not for use in diagnostic or therapeutic procedures.

ZFYVE28 Antibody (C-term) Blocking Peptide - Protein Information

Name ZFYVE28

Synonyms KIAA1643, LST2

Function

Negative regulator of epidermal growth factor receptor (EGFR) signaling. Acts by promoting EGFR degradation in endosomes when not monoubiquitinated.

Cellular Location

Cytoplasm, cytosol. Early endosome membrane. Note=Localizes to early endosome membrane in absence of Lys-87 monoubiquitination Localizes to cytosol when monoubiquitinated

ZFYVE28 Antibody (C-term) Blocking Peptide - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Blocking Peptides](#)

ZFYVE28 Antibody (C-term) Blocking Peptide - Images

ZFYVE28 Antibody (C-term) Blocking Peptide - Background

Negative regulator of epidermal growth factor receptor (EGFR) signaling. Acts by promoting EGFR degradation in endosomes when not monoubiquitinated.