

TAPT1 Antibody (C-term) Blocking peptide Synthetic peptide

Catalog # BP10831b

Specification

TAPT1 Antibody (C-term) Blocking peptide - Product Information

Primary Accession

<u>Q6NXT6</u>

TAPT1 Antibody (C-term) Blocking peptide - Additional Information

Gene ID 202018

Other Names

Transmembrane anterior posterior transformation protein 1 homolog, Cytomegalovirus partial fusion receptor, TAPT1, CMVFR

Format

Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

Storage Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

Precautions This product is for research use only. Not for use in diagnostic or therapeutic procedures.

TAPT1 Antibody (C-term) Blocking peptide - Protein Information

Name TAPT1

Synonyms CMVFR

Function

Plays a role in primary cilia formation (PubMed:26365339). May act as a downstream effector of HOXC8 possibly by transducing or transmitting extracellular information required for axial skeletal patterning during development (By similarity). May be involved in cartilage and bone development (By similarity). May play a role in the differentiation of cranial neural crest cells (By similarity).

Cellular Location

Cytoplasm, cytoskeleton, microtubule organizing center, centrosome. Cytoplasm, cytoskeleton, cilium basal body. Membrane; Multi-pass membrane protein

TAPT1 Antibody (C-term) Blocking peptide - Protocols



Provided below are standard protocols that you may find useful for product applications.

<u>Blocking Peptides</u>

TAPT1 Antibody (C-term) Blocking peptide - Images

TAPT1 Antibody (C-term) Blocking peptide - Background

This gene encodes a highly conserved, putativetransmembrane protein. A mutation in the mouse ortholog of thisgene results in homeotic, posterior-to-anterior transformations of the axial skeleton which are similar to the phenotype of mousehomeobox C8 gene mutants. This gene is proposed to functiondownstream of homeobox C8 to transduce extracellular patterninginformation during axial skeleton development. An alternativelyspliced transcript variant encoding a substantially differentisoform has been described, but its biological validity has notbeen determined.

TAPT1 Antibody (C-term) Blocking peptide - References

Howell, G.R., et al. Genetics 175(2):699-707(2007)Baldwin, B.R., et al. J. Gen. Virol. 81 (PT 1), 27-35 (2000) :Baldwin, B.R., et al. Biochem. Biophys. Res. Commun. 219(2):668-673(1996)