

#### RPL27A Antibody (C-term) Blocking peptide Synthetic peptide Catalog # BP10937b

### Specification

# **RPL27A Antibody (C-term) Blocking peptide - Product Information**

Primary Accession

<u>P46776</u>

## **RPL27A Antibody (C-term) Blocking peptide - Additional Information**

Gene ID 6157

Other Names 60S ribosomal protein L27a, RPL27A

Format

Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

**Storage** Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

**Precautions** This product is for research use only. Not for use in diagnostic or therapeutic procedures.

#### **RPL27A Antibody (C-term) Blocking peptide - Protein Information**

Name RPL27A

Function

Component of the large ribosomal subunit (PubMed:<a

href="http://www.uniprot.org/citations/23636399" target="\_blank">23636399</a>, PubMed:<a href="http://www.uniprot.org/citations/32669547" target="\_blank">32669547</a>). The ribosome is a large ribonucleoprotein complex responsible for the synthesis of proteins in the cell (PubMed:<a href="http://www.uniprot.org/citations/23636399" target="\_blank">23636399</a>, PubMed:<a href="http://www.uniprot.org/citations/32669547" target="\_blank">32669547</a>). The ribosome is a large ribonucleoprotein complex responsible for the synthesis of proteins in the cell (PubMed:<a href="http://www.uniprot.org/citations/23636399" target="\_blank">23636399</a>, PubMed:<a href="http://www.uniprot.org/citations/32669547" target="\_blank">32669547</a>).

Cellular Location Cytoplasm.

#### **RPL27A Antibody (C-term) Blocking peptide - Protocols**

Provided below are standard protocols that you may find useful for product applications.

<u>Blocking Peptides</u>

RPL27A Antibody (C-term) Blocking peptide - Images



# **RPL27A Antibody (C-term) Blocking peptide - Background**

Ribosomes, the organelles that catalyze protein synthesis, consist of a small 40S subunit and a large 60S subunit. Togetherthese subunits are composed of 4 RNA species and approximately 80structurally distinct proteins. This gene encodes a ribosomal protein that is a component of the 60S subunit. The protein belongsto the L15P family of ribosomal proteins. It is located in thecytoplasm. Variable expression of this gene in colorectal cancerscompared to adjacent normal tissues has been observed, although nocorrelation between the level of expression and the severity of thedisease has been found. As is typical for genes encoding ribosomal proteins, multiple processed pseudogenes derived from this gene aredispersed through the genome.

## **RPL27A Antibody (C-term) Blocking peptide - References**

Kapp, L.D., et al. Annu. Rev. Biochem. 73, 657-704 (2004) :Mazumder, B., et al. Cell 115(2):187-198(2003)Andersen, J.S., et al. Curr. Biol. 12(1):1-11(2002)Bortoluzzi, S., et al. Bioinformatics 17(12):1152-1157(2001)Kusuda, J., et al. Cytogenet. Cell Genet. 85 (3-4), 248-251 (1999) :