

ELP3 Antibody (N-term) Blocking Peptide Synthetic peptide Catalog # BP1112a

## Specification

# ELP3 Antibody (N-term) Blocking Peptide - Product Information

Primary Accession

<u>Q9H9T3</u>

## ELP3 Antibody (N-term) Blocking Peptide - Additional Information

Gene ID 55140

**Other Names** Elongator complex protein 3, hELP3, ELP3

Target/Specificity

The synthetic peptide sequence used to generate the antibody <a href=/product/products/AP1112a>AP1112a</a> was selected from the N-term region of human ELP3. A 10 to 100 fold molar excess to antibody is recommended. Precise conditions should be optimized for a particular assay.

Format

Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

**Storage** Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

**Precautions** This product is for research use only. Not for use in diagnostic or therapeutic procedures.

# ELP3 Antibody (N-term) Blocking Peptide - Protein Information

Name ELP3 {ECO:0000303|PubMed:15902492, ECO:0000312|HGNC:HGNC:20696}

Function

Catalytic tRNA acetyltransferase subunit of the elongator complex which is required for multiple tRNA modifications, including mcm5U (5-methoxycarbonylmethyl uridine), mcm5s2U (5-methoxycarbonylmethyl-2-thiouridine), and ncm5U (5-carbamoylmethyl uridine) (PubMed:<a href="http://www.uniprot.org/citations/29415125" target="\_blank">29415125</a>). In the elongator complex, acts as a tRNA uridine(34) acetyltransferase by mediating formation of carboxymethyluridine in the wobble base at position 34 in tRNAs (By similarity). May also act as a protein lysine acetyltransferase by mediating acetylation of target proteins; such activity is however unclear in vivo and recent evidences suggest that ELP3 primarily acts as a tRNA acetyltransferase (PubMed:<a href="http://www.uniprot.org/citations/29415125" target="\_blank">29415125" target="\_blank">29415125</a> (PubMed:<a href="http://www.uniprot.org/citations/29415125" target="\_blank">29415125" target="\_blank">29415125" target="\_blank">29415125</a> (PubMed:<a href="http://www.uniprot.org/citations/29415125" target="\_blank">29415125</a> (A) (PubMed:<a href="http://www.uniprot.org/citations/29415125" target="\_blank">29415125</a>



target="\_blank">19185337</a>). Required for acetylation of GJA1 in the developing cerebral cortex (By similarity).

#### **Cellular Location**

Cytoplasm. Nucleus [Isoform 2]: Cytoplasm. Nucleus

**Tissue Location** 

Expressed in the cerebellum and spinal motor neurons.

## ELP3 Antibody (N-term) Blocking Peptide - Protocols

Provided below are standard protocols that you may find useful for product applications.

#### Blocking Peptides

#### ELP3 Antibody (N-term) Blocking Peptide - Images

### ELP3 Antibody (N-term) Blocking Peptide - Background

Elongator complex protein 3 (ELP3) is a catalytic histone acetyltransferase subunit of the RNA polymerase II elongator complex, which is a component of the RNA polymerase II (Pol II) holoenzyme and is involved in transcriptional elongation. Elongator may play a role in chromatin remodeling and is involved in acetylation of histones H3 and probably H4. It may also have a methyltransferase activity.

### ELP3 Antibody (N-term) Blocking Peptide - References

Han,Q., Acta Biochim. Biophys. Sin. (Shanghai) 39 (6), 453-461 (2007)Kim,J.H., Proc. Natl. Acad. Sci. U.S.A. 99 (3), 1241-1246 (2002)Ninomiya,Y., J. Biochem. 118 (2), 380-389 (1995)