

TIMP1 Antibody (C-term) Blocking peptide
Synthetic peptide
Catalog # BP11199b**Specification**

TIMP1 Antibody (C-term) Blocking peptide - Product InformationPrimary Accession [P01033](#)**TIMP1 Antibody (C-term) Blocking peptide - Additional Information****Gene ID** 7076**Other Names**

Metalloproteinase inhibitor 1, Erythroid-potentiating activity, EPA, Fibroblast collagenase inhibitor, Collagenase inhibitor, Tissue inhibitor of metalloproteinases 1, TIMP-1, TIMP1, CLGI, TIMP

Format

Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

Storage

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

Precautions

This product is for research use only. Not for use in diagnostic or therapeutic procedures.

TIMP1 Antibody (C-term) Blocking peptide - Protein Information**Name** TIMP1**Synonyms** CLGI, TIMP**Function**

Metalloproteinase inhibitor that functions by forming one to one complexes with target metalloproteinases, such as collagenases, and irreversibly inactivates them by binding to their catalytic zinc cofactor. Acts on MMP1, MMP2, MMP3, MMP7, MMP8, MMP9, MMP10, MMP11, MMP12, MMP13 and MMP16. Does not act on MMP14. Also functions as a growth factor that regulates cell differentiation, migration and cell death and activates cellular signaling cascades via CD63 and ITGB1. Plays a role in integrin signaling. Mediates erythropoiesis in vitro; but, unlike IL3, it is species-specific, stimulating the growth and differentiation of only human and murine erythroid progenitors.

Cellular Location

Secreted

Tissue Location

Detected in rheumatoid synovial fluid (at protein level).

TIMP1 Antibody (C-term) Blocking peptide - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Blocking Peptides](#)

TIMP1 Antibody (C-term) Blocking peptide - Images

TIMP1 Antibody (C-term) Blocking peptide - Background

This gene belongs to the TIMP gene family. The proteins encoded by this gene family are natural inhibitors of the matrix metalloproteinases (MMPs), a group of peptidases involved in degradation of the extracellular matrix. In addition to its inhibitory role against most of the known MMPs, the encoded protein is able to promote cell proliferation in a wide range of cell types, and may also have an anti-apoptotic function. Transcription of this gene is highly inducible in response to many cytokines and hormones. In addition, the expression from some but not all inactive X chromosomes suggests that this gene inactivation is polymorphic in human females. This gene is located within intron 6 of the synapsin I gene and is transcribed in the opposite direction.

TIMP1 Antibody (C-term) Blocking peptide - References

Romero, R., et al. Am. J. Obstet. Gynecol. 203 (4), 361 (2010) : Bailey, S.D., et al. Diabetes Care 33(10):2250-2253(2010) Lin, C.C., et al. Clin J Am Soc Nephrol 5(10):1805-1814(2010) Yeh, Y.C., et al. BMC Microbiol. 10, 218 (2010) : Johnatty, S.E., et al. PLoS Genet. 6 (7), E1001016 (2010) :