

KCNH6 Antibody (Center) Blocking peptide

Synthetic peptide Catalog # BP11929c

Specification

KCNH6 Antibody (Center) Blocking peptide - Product Information

Primary Accession

<u>Q9H252</u>

KCNH6 Antibody (Center) Blocking peptide - Additional Information

Gene ID 81033

Other Names

Potassium voltage-gated channel subfamily H member 6, Ether-a-go-go-related gene potassium channel 2, ERG-2, Eag-related protein 2, Ether-a-go-go-related protein 2, hERG-2, hERG2, Voltage-gated potassium channel subunit Kv112, KCNH6, ERG2

Format

Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

Storage Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

Precautions

This product is for research use only. Not for use in diagnostic or therapeutic procedures.

KCNH6 Antibody (Center) Blocking peptide - Protein Information

Name KCNH6

Synonyms ERG2

Function

Pore-forming (alpha) subunit of voltage-gated potassium channel. Elicits a slowly activating, rectifying current (By similarity). Channel properties may be modulated by cAMP and subunit assembly.

Cellular Location Membrane; Multi-pass membrane protein.

Tissue Location Expressed in prolactin-secreting adenomas.

KCNH6 Antibody (Center) Blocking peptide - Protocols



Provided below are standard protocols that you may find useful for product applications.

<u>Blocking Peptides</u>

KCNH6 Antibody (Center) Blocking peptide - Images

KCNH6 Antibody (Center) Blocking peptide - Background

Voltage-gated potassium (Kv) channels represent the mostcomplex class of voltage-gated ion channels from both functionaland structural standpoints. Their diverse functions includeregulating neurotransmitter release, heart rate, insulin secretion,neuronal excitability, epithelial electrolyte transport, smoothmuscle contraction, and cell volume. This gene encodes a member of the potassium channel, voltage-gated, subfamily H. This member is apore-forming (alpha) subunit. Several alternatively splicedtranscript variants have been identified from this gene, but thefull-length nature of only two transcript variants has beendetermined.

KCNH6 Antibody (Center) Blocking peptide - References

Liu, B.C., et al. Prog. Neuropsychopharmacol. Biol. Psychiatry 34(3):506-509(2010)Gutman, G.A., et al. Pharmacol. Rev. 57(4):473-508(2005)Bauer, C.K., et al. Pflugers Arch. 445(5):589-600(2003)Ganetzky, B., et al. Ann. N. Y. Acad. Sci. 868, 356-369 (1999) :