

PC Antibody (N-term) Blocking peptide Synthetic peptide Catalog # BP12494a

### **Specification**

# PC Antibody (N-term) Blocking peptide - Product Information

Primary Accession

#### <u>P11498</u>

## PC Antibody (N-term) Blocking peptide - Additional Information

Gene ID 5091

**Other Names** Pyruvate carboxylase, mitochondrial, Pyruvic carboxylase, PCB, PC

Format

Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

**Storage** Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

**Precautions** This product is for research use only. Not for use in diagnostic or therapeutic procedures.

### PC Antibody (N-term) Blocking peptide - Protein Information

Name PC (HGNC:8636)

Function

Pyruvate carboxylase catalyzes a 2-step reaction, involving the ATP-dependent carboxylation of the covalently attached biotin in the first step and the transfer of the carboxyl group to pyruvate in the second. Catalyzes in a tissue specific manner, the initial reactions of glucose (liver, kidney) and lipid (adipose tissue, liver, brain) synthesis from pyruvate.

**Cellular Location** Mitochondrion matrix

### PC Antibody (N-term) Blocking peptide - Protocols

Provided below are standard protocols that you may find useful for product applications.

#### <u>Blocking Peptides</u>

PC Antibody (N-term) Blocking peptide - Images

### PC Antibody (N-term) Blocking peptide - Background



This gene encodes pyruvate carboxylase, which requiresbiotin and ATP to catalyse the carboxylation of pyruvate tooxaloacetate. The active enzyme is a homotetramer arranged in atetrahedron which is located exclusively in the mitochondrialmatrix. Pyruvate carboxylase is involved in gluconeogenesis, lipogenesis, insulin secretion and synthesis of theneurotransmitter glutamate. Mutations in this gene have beenassociated with pyruvate carboxylase deficiency. Alternativelyspliced transcript variants with different 5' UTRs, but encodingthe same protein, have been found for this gene. [provided byRefSeq].

# PC Antibody (N-term) Blocking peptide - References

MacDonald, M.J., et al. Diabetologia 52(6):1087-1091(2009)Monnot, S., et al. Hum. Mutat. 30(5):734-740(2009)Wang, D., et al. Mol. Genet. Metab. 95 (1-2), 31-38 (2008) :Vora, S., et al. Natl Med J India 21(3):116-119(2008)Xiang, S., et al. Nat. Struct. Mol. Biol. 15(3):295-302(2008)