

**ZFP91 Antibody (Center) Blocking peptide**  
**Synthetic peptide**  
**Catalog # BP12876c****Specification**

---

**ZFP91 Antibody (Center) Blocking peptide - Product Information**

Primary Accession [Q96JP5](#)

**ZFP91 Antibody (Center) Blocking peptide - Additional Information**

**Gene ID** 80829

**Other Names**

E3 ubiquitin-protein ligase ZFP91, 632-, Zinc finger protein 757, Zinc finger protein 91 homolog, Zfp-91, ZFP91, ZNF757

**Format**

Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

**Storage**

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

**Precautions**

This product is for research use only. Not for use in diagnostic or therapeutic procedures.

**ZFP91 Antibody (Center) Blocking peptide - Protein Information**

**Name** ZFP91

**Synonyms** ZNF757

**Function**

Atypical E3 ubiquitin-protein ligase that mediates 'Lys-63'- linked ubiquitination of MAP3K14/NIK, leading to stabilize and activate MAP3K14/NIK. It thereby acts as an activator of the non-canonical NF- kappa-B2/NFKB2 pathway. May also play an important role in cell proliferation and/or anti-apoptosis.

**Cellular Location**

Nucleus.

**Tissue Location**

Expressed ubiquitously, particularly at high level in testis. Isoform 2 is testis specific

**ZFP91 Antibody (Center) Blocking peptide - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Blocking Peptides](#)

#### **ZFP91 Antibody (Center) Blocking peptide - Images**

#### **ZFP91 Antibody (Center) Blocking peptide - Background**

The protein encoded by this gene is a member of the zincfinger family of proteins. The gene product contains C2H2-typedomains, which are the classical zinc finger domains found innumerous nucleic acid-binding proteins. This protein functions as aregulator of the non-canonical NF-kappaB pathway inlymphotoxin-beta receptor signaling. Alternative splicing resultsin multiple transcript variants. A read-through transcript variantcomposed of ZFP91 and the downstream CNTF gene sequence has beenidentified, but it is thought to be non-coding. Read-throughtranscription of ZFP91 and CNTF has also been observed in mouse. AZFP91-related pseudogene has also been identified on chromosome 2.

#### **ZFP91 Antibody (Center) Blocking peptide - References**

Jin, H.R., et al. Biochem. Biophys. Res. Commun. 400(4):581-586(2010)Jin, X., et al. J. Biol. Chem. 285(40):30539-30547(2010)Kiem, H.P., et al. Exp. Hematol. 38(9):819-822(2010)Sugiyama, N., et al. Mol. Cell Proteomics 6(6):1103-1109(2007)Olsen, J.V., et al. Cell 127(3):635-648(2006)