

#### **OR5B17 Antibody (C-term) Blocking peptide** Synthetic peptide

Catalog # BP13381b

## Specification

# **OR5B17** Antibody (C-term) Blocking peptide - Product Information

Primary Accession

<u>Q8NGF7</u>

## **OR5B17** Antibody (C-term) Blocking peptide - Additional Information

Gene ID 219965

Other Names Olfactory receptor 5B17, Olfactory receptor 5B20, Olfactory receptor OR11-237, OR5B17, OR5B20P

Target/Specificity

The synthetic peptide sequence used to generate the antibody AP13381b was selected from the C-term region of OR5B17. A 10 to 100 fold molar excess to antibody is recommended. Precise conditions should be optimized for a particular assay.

Format

Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

Storage

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

#### **Precautions**

This product is for research use only. Not for use in diagnostic or therapeutic procedures.

## **OR5B17** Antibody (C-term) Blocking peptide - Protein Information

Name OR5B17

Synonyms OR5B20P

Function Odorant receptor.

**Cellular Location** Cell membrane; Multi-pass membrane protein.

## **OR5B17** Antibody (C-term) Blocking peptide - Protocols

Provided below are standard protocols that you may find useful for product applications.

#### Blocking Peptides

### OR5B17 Antibody (C-term) Blocking peptide - Images

#### **OR5B17** Antibody (C-term) Blocking peptide - Background

Olfactory receptors interact with odorant molecules in thenose, to initiate a neuronal response that triggers the perception of a smell. The olfactory receptor proteins are members of a largefamily of G-protein-coupled receptors (GPCR) arising from singlecoding-exon genes. Olfactory receptors share a 7-transmembranedomain structure with many neurotransmitter and hormone receptorsand are responsible for the recognition and G protein-mediatedtransduction of odorant signals. The olfactory receptor gene family is the largest in the genome. The nomenclature assigned to theolfactory receptor genes and proteins for this organism isindependent of other organisms.

### **OR5B17** Antibody (C-term) Blocking peptide - References

Malnic, B., et al. Proc. Natl. Acad. Sci. U.S.A. 101(8):2584-2589(2004)