

**CSRNP2 Antibody (C-term) Blocking peptide**  
**Synthetic peptide**  
**Catalog # BP13477b****Specification**

---

**CSRNP2 Antibody (C-term) Blocking peptide - Product Information**Primary Accession [Q9H175](#)**CSRNP2 Antibody (C-term) Blocking peptide - Additional Information****Gene ID** 81566**Other Names**

Cysteine/serine-rich nuclear protein 2, CSRNP-2, Protein FAM130A1, TGF-beta-induced apoptosis protein 12, TAIP-12, CSRNP2, C12orf22, FAM130A1, TAIP12

**Target/Specificity**

The synthetic peptide sequence used to generate the antibody AP13477b was selected from the C-term region of CSRNP2. A 10 to 100 fold molar excess to antibody is recommended. Precise conditions should be optimized for a particular assay.

**Format**

Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

**Storage**

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

**Precautions**

This product is for research use only. Not for use in diagnostic or therapeutic procedures.

**CSRNP2 Antibody (C-term) Blocking peptide - Protein Information****Name** CSRNP2**Synonyms** C12orf22, FAM130A1, TAIP12**Function**

Binds to the consensus sequence 5'-AGAGTG-3' and has transcriptional activator activity (By similarity). May play a role in apoptosis.

**Cellular Location**

Nucleus.

**CSRNP2 Antibody (C-term) Blocking peptide - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Blocking Peptides](#)

#### **CSRNP2 Antibody (C-term) Blocking peptide - Images**

#### **CSRNP2 Antibody (C-term) Blocking peptide - Background**

CSRNP2 binds to the consensus sequence 5'-AGAGTG-3' and has transcriptional activator activity (By similarity). May play a role in apoptosis.

#### **CSRNP2 Antibody (C-term) Blocking peptide - References**

Gingras, S., et al. PLoS ONE 2 (8), E808 (2007) :Colland, F., et al. Genome Res. 14(7):1324-1332(2004)