

# **RGL1 Antibody (Center) Blocking peptide**

Synthetic peptide Catalog # BP13609c

# **Specification**

## RGL1 Antibody (Center) Blocking peptide - Product Information

**Primary Accession** 

Q9NZL6

# RGL1 Antibody (Center) Blocking peptide - Additional Information

**Gene ID 23179** 

#### **Other Names**

Ral guanine nucleotide dissociation stimulator-like 1, RalGDS-like 1, RGL1, KIAA0959, RGL

## Target/Specificity

The synthetic peptide sequence used to generate the antibody AP13609c was selected from the Center region of RGL1. A 10 to 100 fold molar excess to antibody is recommended. Precise conditions should be optimized for a particular assay.

### **Format**

Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

#### **Storage**

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

### **Precautions**

This product is for research use only. Not for use in diagnostic or therapeutic procedures.

# **RGL1 Antibody (Center) Blocking peptide - Protein Information**

### Name RGL1

Synonyms KIAA0959, RGL

## **Function**

Probable guanine nucleotide exchange factor.

## **Tissue Location**

Expressed in a wide variety of tissues with strong expression being seen in the heart, brain, kidney, spleen and testis

# **RGL1 Antibody (Center) Blocking peptide - Protocols**

Provided below are standard protocols that you may find useful for product applications.





• Blocking Peptides

RGL1 Antibody (Center) Blocking peptide - Images

**RGL1 Antibody (Center) Blocking peptide - Background** 

RGL1 is probable guanine nucleotide exchange factor.

**RGL1 Antibody (Center) Blocking peptide - References** 

Rose, J.E., et al. Mol. Med. 16 (7-8), 247-253 (2010): Uher, R., et al. Am J Psychiatry 167(5):555-564(2010)Anney, R.J., et al. Am. J. Med. Genet. B Neuropsychiatr. Genet. 147B (8), 1369-1378 (2008): Sood, R., et al. Biochim. Biophys. Acta 1491 (1-3), 285-288 (2000): Shao, H., et al. Arch. Biochem. Biophys. 371(2):207-219(1999)