

### TRIM45 Antibody (C-term) Blocking peptide

Synthetic peptide Catalog # BP13645b

### **Specification**

### TRIM45 Antibody (C-term) Blocking peptide - Product Information

**Primary Accession** 

**Q9H8W5** 

## TRIM45 Antibody (C-term) Blocking peptide - Additional Information

**Gene ID 80263** 

#### **Other Names**

Tripartite motif-containing protein 45, RING finger protein 99, TRIM45, RNF99

#### Target/Specificity

The synthetic peptide sequence used to generate the antibody AP13645b was selected from the C-term region of TRIM45. A 10 to 100 fold molar excess to antibody is recommended. Precise conditions should be optimized for a particular assay.

#### **Format**

Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

#### **Storage**

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

#### **Precautions**

This product is for research use only. Not for use in diagnostic or therapeutic procedures.

### TRIM45 Antibody (C-term) Blocking peptide - Protein Information

Name TRIM45

Synonyms RNF99

### **Function**

E3 ubiquitin-protein ligase that plays a role in the regulation of inflammatory response (PubMed:<a href="http://www.uniprot.org/citations/36681779" target="\_blank">36681779</a>). Mechanistically, mediates the 'Lys-48'-linked polyubiquitination of TAB2, a regulatory protein of the kinase TAK1, leading to its degradation via the proteasomal pathway and inhibition of the TLR-mediated inflammatory immune response (PubMed:<a

href="http://www.uniprot.org/citations/36681779" target="\_blank">36681779</a>). May act as a transcriptional repressor in mitogen-activated protein kinase signaling pathway.

## **Cellular Location**

Cytoplasm. Nucleus



### **Tissue Location**

Expressed in skeletal muscle, brain, heart and pancreas.

## TRIM45 Antibody (C-term) Blocking peptide - Protocols

Provided below are standard protocols that you may find useful for product applications.

#### • Blocking Peptides

TRIM45 Antibody (C-term) Blocking peptide - Images

# TRIM45 Antibody (C-term) Blocking peptide - Background

This gene encodes a member of the tripartite motif family. The encoded protein may function as a transcriptional repressor of the mitogen-activated protein kinase pathway. Alternatively spliced transcript variants have been described.

## TRIM45 Antibody (C-term) Blocking peptide - References

Sardiello, M., et al. BMC Evol. Biol. 8, 225 (2008) :Wang, Y., et al. Biochem. Biophys. Res. Commun. 323(1):9-16(2004)