

# OR1N1 Antibody (C-term) Blocking peptide

Synthetic peptide Catalog # BP13812b

#### **Specification**

## OR1N1 Antibody (C-term) Blocking peptide - Product Information

Primary Accession

**Q8NGS0** 

## OR1N1 Antibody (C-term) Blocking peptide - Additional Information

**Gene ID 138883** 

#### **Other Names**

Olfactory receptor 1N1, Olfactory receptor 1-26, OR1-26, Olfactory receptor 1N3, Olfactory receptor OR9-22, OR1N1, OR1N3

## Target/Specificity

The synthetic peptide sequence used to generate the antibody AP13812b was selected from the C-term region of OR1N1. A 10 to 100 fold molar excess to antibody is recommended. Precise conditions should be optimized for a particular assay.

#### **Format**

Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

#### Storage

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

#### **Precautions**

This product is for research use only. Not for use in diagnostic or therapeutic procedures.

## OR1N1 Antibody (C-term) Blocking peptide - Protein Information

Name OR1N1

Synonyms OR1N3

#### **Function**

Odorant receptor.

#### **Cellular Location**

Cell membrane; Multi-pass membrane protein.

# OR1N1 Antibody (C-term) Blocking peptide - Protocols

Provided below are standard protocols that you may find useful for product applications.



Tel: 858.875.1900 Fax: 858.875.1999

## • Blocking Peptides

## OR1N1 Antibody (C-term) Blocking peptide - Images

# OR1N1 Antibody (C-term) Blocking peptide - Background

Olfactory receptors interact with odorant molecules in thenose, to initiate a neuronal response that triggers the perceptionof a smell. The olfactory receptor proteins are members of a largefamily of G-protein-coupled receptors (GPCR) arising from singlecoding-exon genes. Olfactory receptors share a 7-transmembranedomain structure with many neurotransmitter and hormone receptorsand are responsible for the recognition and G protein-mediated transduction of odorant signals. The olfactory receptor gene familyis the largest in the genome. The nomenclature assigned to theolfactory receptor genes and proteins for this organism isindependent of other organisms.

## OR1N1 Antibody (C-term) Blocking peptide - References

Malnic, B., et al. Proc. Natl. Acad. Sci. U.S.A. 101(8):2584-2589(2004)Fuchs, T., et al. Genomics 80(3):295-302(2002)Rouquier, S., et al. Nat. Genet. 18(3):243-250(1998)