

## AVPR1B Antibody (C-term) Blocking peptide

Synthetic peptide Catalog # BP14050b

### **Specification**

## AVPR1B Antibody (C-term) Blocking peptide - Product Information

Primary Accession P47901

# AVPR1B Antibody (C-term) Blocking peptide - Additional Information

Gene ID 553

#### **Other Names**

Vasopressin V1b receptor, V1bR, AVPR V1b, AVPR V3, Antidiuretic hormone receptor 1b, Vasopressin V3 receptor, AVPR1B, AVPR3, VPR3

## **Target/Specificity**

The synthetic peptide sequence used to generate the antibody AP14050b was selected from the C-term region of AVPR1B. A 10 to 100 fold molar excess to antibody is recommended. Precise conditions should be optimized for a particular assay.

### **Format**

Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

#### Storage

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

#### **Precautions**

This product is for research use only. Not for use in diagnostic or therapeutic procedures.

## AVPR1B Antibody (C-term) Blocking peptide - Protein Information

Name AVPR1B (HGNC:896)

Synonyms AVPR3, VPR3

### **Function**

Receptor for arginine vasopressin. The activity of this receptor is mediated by G proteins which activate a phosphatidyl- inositol-calcium second messenger system.

#### **Cellular Location**

Cell membrane; Multi-pass membrane protein

### **AVPR1B Antibody (C-term) Blocking peptide - Protocols**



Provided below are standard protocols that you may find useful for product applications.

### • Blocking Peptides

## AVPR1B Antibody (C-term) Blocking peptide - Images

# AVPR1B Antibody (C-term) Blocking peptide - Background

The protein encoded by this gene acts as receptor forarginine vasopressin. This receptor belongs to the subfamily of G-protein coupled receptors which includes AVPR1A, V2R and OXTreceptors. Its activity is mediated by G proteins which stimulate aphosphatidylinositol-calcium second messenger system. The receptoris primarily located in the anterior pituitary, where it stimulates ACTH release. It is expressed at high levels in ACTH-secreting pituitary adenomas as well as in bronchial carcinoids responsible for the ectopic ACTH syndrome. A spliced antisense transcript of this gene has been reported but its function is not known.

### **AVPR1B Antibody (C-term) Blocking peptide - References**

van West, D., et al. Psychiatry Res 179(1):64-68(2010)Binder, E.B., et al. Arch. Gen. Psychiatry 67(4):369-379(2010)Bosker, F.J., et al. Mol. Psychiatry (2010) In press :van West, D., et al. Psychiatr. Genet. 19(2):102-103(2009)Tabakoff, B., et al. BMC Biol. 7, 70 (2009) :