

## ZNF207 Antibody (N-term) Blocking Peptide

Synthetic peptide Catalog # BP14385a

## **Specification**

## ZNF207 Antibody (N-term) Blocking Peptide - Product Information

Primary Accession <u>O43670</u>

# ZNF207 Antibody (N-term) Blocking Peptide - Additional Information

**Gene ID 7756** 

#### **Other Names**

BUB3-interacting and GLEBS motif-containing protein ZNF207, BuGZ, Zinc finger protein 207, ZNF207, BUGZ

#### **Format**

Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

## **Storage**

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

### **Precautions**

This product is for research use only. Not for use in diagnostic or therapeutic procedures.

## ZNF207 Antibody (N-term) Blocking Peptide - Protein Information

Name ZNF207 (HGNC:12998)

### **Function**

Kinetochore- and microtubule-binding protein that plays a key role in spindle assembly (PubMed:<a href="http://www.uniprot.org/citations/24462186" target="\_blank">24462186</a>, PubMed:<a href="http://www.uniprot.org/citations/24462187" target="blank">24462187</a>, PubMed: <a href="http://www.uniprot.org/citations/26388440" target="blank">26388440</a>). ZNF207/BuGZ is mainly composed of disordered low- complexity regions and undergoes phase transition or coacervation to form temperature-dependent liquid droplets. Coacervation promotes microtubule bundling and concentrates tubulin, promoting microtubule polymerization and assembly of spindle and spindle matrix by concentrating its building blocks (PubMed: <a href="http://www.uniprot.org/citations/26388440" target=" blank">26388440</a>). Also acts as a regulator of mitotic chromosome alignment by mediating the stability and kinetochore loading of BUB3 (PubMed:<a href="http://www.uniprot.org/citations/24462186" target=" blank">24462186</a>, PubMed:<a href="http://www.uniprot.org/citations/24462187" target="blank">24462187</a>). Mechanisms by which BUB3 is protected are unclear: according to a first report, ZNF207/BuGZ may act by blocking ubiquitination and proteasomal degradation of BUB3 (PubMed: <a href="http://www.uniprot.org/citations/24462186" target=" blank">24462186</a>). According to another report, the stabilization is independent of the proteasome (PubMed: <a href="http://www.uniprot.org/citations/24462187"



target=" blank">24462187</a>).

### **Cellular Location**

Nucleus. Chromosome, centromere, kinetochore. Cytoplasm, cytoskeleton, spindle. Note=Localizes primarily to the nucleus in interphase, concentrates at kinetochores prior to nuclear envelope breakdown and during early prometaphase, and disappears from kinetochores upon microtubule-binding

Tissue Location Ubiquitous..

## **ZNF207 Antibody (N-term) Blocking Peptide - Protocols**

Provided below are standard protocols that you may find useful for product applications.

## • Blocking Peptides

ZNF207 Antibody (N-term) Blocking Peptide - Images

ZNF207 Antibody (N-term) Blocking Peptide - Background

ZNF207 is a new candidate transcription factor.

## ZNF207 Antibody (N-term) Blocking Peptide - References

Andersen, J.S., et al. Nature 433(7021):77-83(2005)Pahl, P.M., et al. Genomics 53(3):410-412(1998)