

RPS16 Antibody (Center) Blocking Peptide Synthetic peptide

Catalog # BP14902c

Specification

RPS16 Antibody (Center) Blocking Peptide - Product Information

Primary Accession

<u>P62249</u>

RPS16 Antibody (Center) Blocking Peptide - Additional Information

Gene ID 6217

Other Names 40S ribosomal protein S16, RPS16

Format

Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

Storage Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

Precautions This product is for research use only. Not for use in diagnostic or therapeutic procedures.

RPS16 Antibody (Center) Blocking Peptide - Protein Information

Name RPS16 (<u>HGNC:10396</u>)

Function

Component of the small ribosomal subunit (PubMed:23636399). The ribosome is a large ribonucleoprotein complex responsible for the synthesis of proteins in the cell (PubMed:23636399). Part of the small subunit (SSU) processome, first precursor of the small eukaryotic ribosomal subunit. During the assembly of the SSU processome in the nucleolus, many ribosome biogenesis factors, an RNA chaperone and ribosomal proteins associate with the nascent pre-rRNA and work in concert to generate RNA folding, modifications, rearrangements and cleavage as well as targeted degradation of pre-ribosomal RNA by the RNA exosome (PubMed:34516797).

Cellular Location Cytoplasm. Nucleus, nucleolus

RPS16 Antibody (Center) Blocking Peptide - Protocols



Provided below are standard protocols that you may find useful for product applications.

<u>Blocking Peptides</u>

RPS16 Antibody (Center) Blocking Peptide - Images

RPS16 Antibody (Center) Blocking Peptide - Background

Ribosomes, the organelles that catalyze protein synthesis, consist of a small 40S subunit and a large 60S subunit. Togetherthese subunits are composed of 4 RNA species and approximately 80structurally distinct proteins. This gene encodes a ribosomal protein that is a component of the 40S subunit. The protein belongsto the S9P family of ribosomal proteins. It is located in thecytoplasm. As is typical for genes encoding ribosomal proteins, there are multiple processed pseudogenes of this gene dispersedthrough the genome.

RPS16 Antibody (Center) Blocking Peptide - References

Quarello, P., et al. Haematologica 95(2):206-213(2010)Ivanov, A.V., et al. Mol. Biol. (Mosk.) 44(1):90-97(2010)Malygin, A.A., et al. Biochimie 91(9):1180-1186(2009)Robledo, S., et al. RNA 14(9):1918-1929(2008)Ian'shina, D.D., et al. Mol. Biol. (Mosk.) 41(6):1023-1030(2007)