

KDM6B Antibody (N-term) Blocking Peptide Synthetic peptide

Catalog # BP17413a

Specification

KDM6B Antibody (N-term) Blocking Peptide - Product Information

Primary Accession

015054

KDM6B Antibody (N-term) Blocking Peptide - Additional Information

Gene ID 23135

Other Names Lysine-specific demethylase 6B, 11411-, JmjC domain-containing protein 3, Jumonji domain-containing protein 3, Lysine demethylase 6B, KDM6B, JMJD3, KIAA0346

Format

Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

Storage Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

Precautions This product is for research use only. Not for use in diagnostic or therapeutic procedures.

KDM6B Antibody (N-term) Blocking Peptide - Protein Information

Name KDM6B

Synonyms JMJD3, KIAA0346

Function

Histone demethylase that specifically demethylates 'Lys-27' of histone H3, thereby playing a central role in histone code (PubMed:17825402, PubMed:17851529, PubMed:17713478, PubMed:17713478, PubMed:17803914). Demethylates trimethylated and dimethylated H3 'Lys-27' (PubMed:17825402, PubMed:17825402, PubMed:17825402, PubMed:1785529, PubMed:1785529, PubMed:1785529, PubMed:18003914, PubMed:17855529, PubMed:17855529, PubMed:18003914, PubMed:18003914, PubMed:17855529, PubMed:18003914, PubMed:18003914, PubMed:18003914, PubMed:18003914, PubMed:<a hr



demethylase-independent role in chromatin remodeling to regulate T-box family member-dependent gene expression by acting as a link between T-box factors and the SMARCA4containing SWI/SNF remodeling complex (By similarity).

Cellular Location Nucleus.

KDM6B Antibody (N-term) Blocking Peptide - Protocols

Provided below are standard protocols that you may find useful for product applications.

<u>Blocking Peptides</u>

KDM6B Antibody (N-term) Blocking Peptide - Images

KDM6B Antibody (N-term) Blocking Peptide - Background

Histone demethylase that specifically demethylates 'Lys-27' of histone H3, thereby playing a central role in histone code. Demethylates trimethylated and dimethylated H3 'Lys-27'. Plays a central role in regulation of posterior development, by regulating HOX gene expression. Involved in inflammatory response by participating in macrophage differentiation in case of inflammation by regulating gene expression and macrophage differentiation.