

MYH7 Antibody (N-term) Blocking Peptide
Synthetic peptide
Catalog # BP17633a**Specification**

MYH7 Antibody (N-term) Blocking Peptide - Product InformationPrimary Accession [P12883](#)**MYH7 Antibody (N-term) Blocking Peptide - Additional Information****Gene ID** 4625**Other Names**

Myosin-7, Myosin heavy chain 7, Myosin heavy chain slow isoform, MyHC-slow, Myosin heavy chain, cardiac muscle beta isoform, MyHC-beta, MYH7, MYHCB

Format

Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

Storage

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

Precautions

This product is for research use only. Not for use in diagnostic or therapeutic procedures.

MYH7 Antibody (N-term) Blocking Peptide - Protein Information**Name** MYH7**Synonyms** MYHCB**Function**

Myosins are actin-based motor molecules with ATPase activity essential for muscle contraction. Forms regular bipolar thick filaments that, together with actin thin filaments, constitute the fundamental contractile unit of skeletal and cardiac muscle.

Cellular Location

Cytoplasm, myofibril {ECO:0000250|UniProtKB:P02564}. Cytoplasm, myofibril, sarcomere {ECO:0000250|UniProtKB:P02564}. Note=Thick filaments of the myofibrils {ECO:0000250|UniProtKB:P02564}

Tissue Location

Both wild type and variant Gln-403 are detected in skeletal muscle (at protein level).

MYH7 Antibody (N-term) Blocking Peptide - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Blocking Peptides](#)

MYH7 Antibody (N-term) Blocking Peptide - Images

MYH7 Antibody (N-term) Blocking Peptide - Background

Muscle myosin is a hexameric protein containing 2 heavy chain subunits, 2 alkali light chain subunits, and 2 regulatory light chain subunits. This gene encodes the beta (or slow) heavy chain subunit of cardiac myosin. It is expressed predominantly in normal human ventricle. It is also expressed in skeletal muscle tissues rich in slow-twitch type I muscle fibers. Changes in the relative abundance of this protein and the alpha (or fast) heavy subunit of cardiac myosin correlate with the contractile velocity of cardiac muscle. Its expression is also altered during thyroid hormone depletion and hemodynamic overloading. Mutations in this gene are associated with familial hypertrophic cardiomyopathy, myosin storage myopathy, dilated cardiomyopathy, and Laing early-onset distal myopathy.

MYH7 Antibody (N-term) Blocking Peptide - References

Millat, G., et al. Clin. Chim. Acta 411 (23-24), 1983-1991 (2010) ;Eijgelsheim, M., et al. Hum. Mol. Genet. 19(19):3885-3894(2010) Millat, G., et al. Eur J Med Genet 53(5):261-267(2010) Muelas, N., et al. Neurology 75(8):732-741(2010) Zheng, D.D., et al. J. Int. Med. Res. 38(3):810-820(2010)