

#### OR2L8 Antibody (C-term) Blocking Peptide Synthetic peptide

Catalog # BP17638b

## Specification

# **OR2L8 Antibody (C-term) Blocking Peptide - Product Information**

Primary Accession

### <u>Q8NGY9</u>

## **OR2L8 Antibody (C-term) Blocking Peptide - Additional Information**

Gene ID 391190

**Other Names** Olfactory receptor 2L8, Olfactory receptor OR1-46, OR2L8

Format

Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

### **Storage** Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

**Precautions** This product is for research use only. Not for use in diagnostic or therapeutic procedures.

## **OR2L8 Antibody (C-term) Blocking Peptide - Protein Information**

Name OR2L8

Function Odorant receptor.

**Cellular Location** Cell membrane; Multi-pass membrane protein.

## **OR2L8 Antibody (C-term) Blocking Peptide - Protocols**

Provided below are standard protocols that you may find useful for product applications.

<u>Blocking Peptides</u>

OR2L8 Antibody (C-term) Blocking Peptide - Images

## OR2L8 Antibody (C-term) Blocking Peptide - Background

Olfactory receptors interact with odorant molecules in thenose, to initiate a neuronal response that triggers the perception of a smell. The olfactory receptor proteins are members of a largefamily of



G-protein-coupled receptors (GPCR) arising from singlecoding-exon genes. Olfactory receptors share a 7-transmembranedomain structure with many neurotransmitter and hormone receptorsand are responsible for the recognition and G protein-mediatedtransduction of odorant signals. The olfactory receptor gene familyis the largest in the genome. The nomenclature assigned to theolfactory receptor genes and proteins for this organism isindependent of other organisms.

### **OR2L8 Antibody (C-term) Blocking Peptide - References**

Malnic, B., et al. Proc. Natl. Acad. Sci. U.S.A. 101(8):2584-2589(2004)