

HIC2 Antibody (Center) Blocking Peptide
Synthetic peptide
Catalog # BP18558c**Specification**

HIC2 Antibody (Center) Blocking Peptide - Product Information

Primary Accession [Q96JB3](#)

HIC2 Antibody (Center) Blocking Peptide - Additional Information

Gene ID 23119

Other Names

Hypermethylated in cancer 2 protein, Hic-2, HIC1-related gene on chromosome 22 protein, Hic-3, Zinc finger and BTB domain-containing protein 30, HIC2, HRG22, KIAA1020, ZBTB30

Format

Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

Storage

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

Precautions

This product is for research use only. Not for use in diagnostic or therapeutic procedures.

HIC2 Antibody (Center) Blocking Peptide - Protein Information

Name HIC2

Synonyms HRG22, KIAA1020, ZBTB30

Function

Transcriptional repressor.

Cellular Location

Nucleus.

Tissue Location

Highest levels in cerebellum.

HIC2 Antibody (Center) Blocking Peptide - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Blocking Peptides](#)

HIC2 Antibody (Center) Blocking Peptide - Images**HIC2 Antibody (Center) Blocking Peptide - Background**

HIC2 is a transcriptional repressor.

HIC2 Antibody (Center) Blocking Peptide - References

Kamatani, Y., et al. Nat. Genet. 42(3):210-215(2010) Han, J.W., et al. Nat. Genet. 41(11):1234-1237(2009) Collins, J.E., et al. Genome Biol. 5 (10), R84 (2004) :Young, T.M., et al. Mol. Cell. Biol. 23(18):6373-6384(2003) Deltour, S., et al. Mol. Cell. Biol. 22(13):4890-4901(2002)