

### GNA11 Antibody(N-term) Blocking peptide

Synthetic peptide Catalog # BP19441a

# **Specification**

# GNA11 Antibody(N-term) Blocking peptide - Product Information

Primary Accession

P29992

# GNA11 Antibody(N-term) Blocking peptide - Additional Information

**Gene ID 2767** 

#### **Other Names**

Guanine nucleotide-binding protein subunit alpha-11, G alpha-11, G-protein subunit alpha-11, Guanine nucleotide-binding protein G(y) subunit alpha, GNA11, GA11

#### **Format**

Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

### **Storage**

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

#### **Precautions**

This product is for research use only. Not for use in diagnostic or therapeutic procedures.

### GNA11 Antibody(N-term) Blocking peptide - Protein Information

Name GNA11

**Synonyms GA11** 

### **Function**

Guanine nucleotide-binding proteins (G proteins) are involved as modulators or transducers in various transmembrane signaling systems (PubMed:<a

href="http://www.uniprot.org/citations/31073061" target="\_blank">31073061</a>). Acts as an activator of phospholipase C (PubMed:<a href="http://www.uniprot.org/citations/31073061" target="\_blank">31073061</a>). Transduces FFAR4 signaling in response to long-chain fatty acids (LCFAs) (PubMed:<a href="http://www.uniprot.org/citations/27852822" target=" blank">27852822</a>). Together with GNAQ, required for heart development (By

similarity).

### **Cellular Location**

Cell membrane; Lipid-anchor. Cytoplasm. Note=In testicular cells, expressed exclusively in the cytoplasm.

### **Tissue Location**

Expressed in testis..



# GNA11 Antibody(N-term) Blocking peptide - Protocols

Provided below are standard protocols that you may find useful for product applications.

# • Blocking Peptides

GNA11 Antibody(N-term) Blocking peptide - Images

### GNA11 Antibody(N-term) Blocking peptide - Background

Guanine nucleotide-binding proteins (G proteins) are involved as modulators or transducers in various transmembrane signaling systems. Acts as an activator of phospholipase C.

# **GNA11** Antibody(N-term) Blocking peptide - References

Shankaranarayanan, A., et al. J. Biol. Chem. 283(50):34923-34934(2008)Gavard, J., et al. J. Biol. Chem. 283(44):29888-29896(2008)Luttrell, L.M. Mol. Biotechnol. 39(3):239-264(2008)Durchankova, D., et al. Physiol Res 57(2):195-203(2008)Hildebrand, M.E., et al. J. Biol. Chem. 282(29):21043-21055(2007)