

TFEC Antibody(Center) Blocking peptide
Synthetic peptide
Catalog # BP19475c**Specification**

TFEC Antibody(Center) Blocking peptide - Product InformationPrimary Accession [O14948](#)**TFEC Antibody(Center) Blocking peptide - Additional Information****Gene ID** 22797**Other Names**

Transcription factor EC, TFE-C, Class E basic helix-loop-helix protein 34, bHLHe34, Transcription factor EC-like, hTFEC-L, TFEC, BHLHE34, TC FEC, TFECL

Format

Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

Storage

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

Precautions

This product is for research use only. Not for use in diagnostic or therapeutic procedures.

TFEC Antibody(Center) Blocking peptide - Protein Information**Name** TFEC**Synonyms** BHLHE34, TC FEC, TFECL**Function**

Transcriptional regulator that acts as a repressor or an activator. Acts as a transcriptional repressor on minimal promoter containing element F (that includes an E-box sequence). Binds to element F in an E-box sequence-specific manner. Acts as a transcriptional transactivator on the proximal promoter region of the tartrate-resistant acid phosphatase (TRAP) E-box containing promoter (By similarity). Collaborates with MITF in target gene activation (By similarity). Acts as a transcriptional repressor on minimal promoter containing mu E3 enhancer sequence (By similarity). Binds to mu E3 DNA sequence of the immunoglobulin heavy-chain gene enhancer (By similarity). Binds DNA in a homo- or heterodimeric form.

Cellular Location

Nucleus {ECO:0000255|PROSITE-ProRule:PRU00981, ECO:0000269|PubMed:11467950}

Tissue Location

Expressed moderately in spleen, kidney, bone marrow, small intestine and leukocytes. Expressed weakly in testis, trachea and colon.

TFEC Antibody(Center) Blocking peptide - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Blocking Peptides](#)

TFEC Antibody(Center) Blocking peptide - Images**TFEC Antibody(Center) Blocking peptide - Background**

Transcriptional regulator that acts as a repressor or an activator. Acts as a transcriptional repressor on minimal promoter containing element F (that includes an E-box sequence). Binds to element F in an E-box sequence-specific manner. Acts as a transcriptional transactivator on the proximal promoter region of the tartrate-resistant acid phosphatase (TRAP) E-box containing promoter (By similarity). Collaborates with MITF in target gene activation (By similarity). Acts as a transcriptional repressor on minimal promoter containing mu E3 enhancer sequence (By similarity). Binds to mu E3 DNA sequence of the immunoglobulin heavy-chain gene enhancer (By similarity). Binds DNA in a homo-or heterodimeric form.

TFEC Antibody(Center) Blocking peptide - References

Mansky, K.C., et al. J. Leukoc. Biol. 71(2):304-310(2002) Chung, M.C., et al. Biochemistry 40(30):8887-8897(2001) Steingrimsson, E., et al. Development 125(23):4607-4616(1998) Yasumoto, K., et al. Biochim. Biophys. Acta 1353(1):23-31(1997) Zhao, G.Q., et al. Mol. Cell. Biol. 13(8):4505-4512(1993)