

FBXO43 Blocking Peptide (C-term)

Synthetic peptide

Catalog # BP20371b

Specification

FBXO43 Blocking Peptide (C-term) - Product Information

Primary Accession

[Q4G163](#)**FBXO43 Blocking Peptide (C-term) - Additional Information**

Gene ID 286151

Other Names

F-box only protein 43, Endogenous meiotic inhibitor 2, FBXO43, EMI2

Format

Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

Storage

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

Precautions

This product is for research use only. Not for use in diagnostic or therapeutic procedures.

FBXO43 Blocking Peptide (C-term) - Protein Information

Name FBXO43

Synonyms EMI2

Function

Required to establish and maintain the arrest of oocytes at the second meiotic metaphase until fertilization. Acts by inhibiting the anaphase-promoting complex/cyclosome (APC/C) ubiquitin ligase. Probably recognizes and binds to some phosphorylated proteins and promotes their ubiquitination and degradation (PubMed: <http://www.uniprot.org/citations/34052850> target="_blank">34052850, PubMed: <http://www.uniprot.org/citations/34595750> target="_blank">34595750). Plays a vital role in modulating the ubiquitilation of CCNB1 and CDK1 during gametogenesis.

Tissue Location

Expressed in the testis.

FBXO43 Blocking Peptide (C-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Blocking Peptides](#)

FBXO43 Blocking Peptide (C-term) - Images**FBXO43 Blocking Peptide (C-term) - Background**

Required to establish and maintain the arrest of oocytes at the second meiotic metaphase until fertilization. Probably acts by inhibiting the anaphase-promoting complex/cyclosome (APC/C) ubiquitin ligase. Probably recognizes and binds to some phosphorylated proteins and promotes their ubiquitination and degradation (Probable).