

### **HIST1H2BM Blocking Peptide (N-term)**

Synthetic peptide Catalog # BP20679a

### **Specification**

#### HIST1H2BM Blocking Peptide (N-term) - Product Information

**Primary Accession** 

Q99879

# HIST1H2BM Blocking Peptide (N-term) - Additional Information

**Gene ID 8342** 

#### **Other Names**

Histone H2B type 1-M, Histone H2Be, H2B/e, HIST1H2BM, H2BFE

#### Target/Specificity

The synthetic peptide sequence is selected from aa 10-24 of HUMAN HIST1H2BM

#### **Format**

Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

## **Storage**

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

#### **Precautions**

This product is for research use only. Not for use in diagnostic or therapeutic procedures.

#### HIST1H2BM Blocking Peptide (N-term) - Protein Information

Name H2BC14 (<u>HGNC:4750</u>)

#### **Function**

Core component of nucleosome. Nucleosomes wrap and compact DNA into chromatin, limiting DNA accessibility to the cellular machineries which require DNA as a template. Histones thereby play a central role in transcription regulation, DNA repair, DNA replication and chromosomal stability. DNA accessibility is regulated via a complex set of post-translational modifications of histones, also called histone code, and nucleosome remodeling.

#### **Cellular Location**

Nucleus. Chromosome.

## **HIST1H2BM Blocking Peptide (N-term) - Protocols**

Provided below are standard protocols that you may find useful for product applications.



### • Blocking Peptides

### HIST1H2BM Blocking Peptide (N-term) - Images

## HIST1H2BM Blocking Peptide (N-term) - Background

Core component of nucleosome. Nucleosomes wrap and compact DNA into chromatin, limiting DNA accessibility to the cellular machineries which require DNA as a template. Histones thereby play a central role in transcription regulation, DNA repair, DNA replication and chromosomal stability. DNA accessibility is regulated via a complex set of post-translational modifications of histones, also called histone code, and nucleosome remodeling.

# HIST1H2BM Blocking Peptide (N-term) - References

Albig W.,et al.Hum. Genet. 101:284-294(1997). Marzluff W.F.,et al.Genomics 80:487-498(2002). Mungall A.J.,et al.Nature 425:805-811(2003). Lubec G.,et al.Submitted (MAR-2007) to UniProtKB. Cheung W.L.,et al.Cell 113:507-517(2003).