

# **GNA11 Blocking Peptide (Center)**

Synthetic peptide Catalog # BP21291c

# **Specification**

### **GNA11** Blocking Peptide (Center) - Product Information

**Primary Accession** 

P29992

# **GNA11 Blocking Peptide (Center) - Additional Information**

**Gene ID 2767** 

#### **Other Names**

Guanine nucleotide-binding protein subunit alpha-11, G alpha-11, G-protein subunit alpha-11, Guanine nucleotide-binding protein G(y) subunit alpha, GNA11, GA11

# Target/Specificity

The synthetic peptide sequence is selected from aa 115-126 of HUMAN GNA11

#### **Format**

Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

#### Storage

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

#### **Precautions**

This product is for research use only. Not for use in diagnostic or therapeutic procedures.

### **GNA11 Blocking Peptide (Center) - Protein Information**

Name GNA11

Synonyms GA11

#### **Function**

Guanine nucleotide-binding proteins (G proteins) are involved as modulators or transducers in various transmembrane signaling systems (PubMed:<a

href="http://www.uniprot.org/citations/31073061" target="\_blank">31073061</a>). Acts as an activator of phospholipase C (PubMed:<a href="http://www.uniprot.org/citations/31073061" target="\_blank">31073061</a>). Transduces FFAR4 signaling in response to long-chain fatty acids (LCFAs) (PubMed:<a href="http://www.uniprot.org/citations/27852822" target="\_blank">27852822</a>). Together with GNAQ, required for heart development (By similarity).

### **Cellular Location**

Cell membrane; Lipid-anchor. Cytoplasm. Note=In testicular cells, expressed exclusively in the cytoplasm.



**Tissue Location** Expressed in testis..

# **GNA11 Blocking Peptide (Center) - Protocols**

Provided below are standard protocols that you may find useful for product applications.

# • Blocking Peptides

**GNA11 Blocking Peptide (Center) - Images** 

# **GNA11 Blocking Peptide (Center) - Background**

Guanine nucleotide-binding proteins (G proteins) are involved as modulators or transducers in various transmembrane signaling systems. Acts as an activator of phospholipase C.

# **GNA11 Blocking Peptide (Center) - References**

Jiang M., et al. Proc. Natl. Acad. Sci. U.S.A. 88:3907-3911(1991). Bai X.H., et al. Submitted (JUL-1997) to the EMBL/GenBank/DDBJ databases. Puhl H.L. III, et al. Submitted (MAR-2002) to the EMBL/GenBank/DDBJ databases. Ebert L., et al. Submitted (JUN-2004) to the EMBL/GenBank/DDBJ databases. Grimwood J., et al. Nature 428:529-535(2004).