

TFCP2 Blocking Peptide (Center)
Synthetic peptide
Catalog # BP21657c**Specification**

TFCP2 Blocking Peptide (Center) - Product Information

Primary Accession [Q12800](#)

TFCP2 Blocking Peptide (Center) - Additional Information

Gene ID 7024

Other Names

Alpha-globin transcription factor CP2, SAA3 enhancer factor, Transcription factor LSF, TFCP2, LSF, SEF

Target/Specificity

The synthetic peptide sequence is selected from aa 302-316 of HUMAN TFCP2

Format

Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

Storage

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

Precautions

This product is for research use only. Not for use in diagnostic or therapeutic procedures.

TFCP2 Blocking Peptide (Center) - Protein Information

Name TFCP2

Synonyms LSF, SEF

Function

Binds a variety of cellular and viral promoters including fibrinogen, alpha-globin, SV40 and HIV-1 promoters. Activation of the alpha-globin promoter in erythroid cells is via synergistic interaction with UBP1 (By similarity). Functions as part of the SSP (stage selector protein) complex. Facilitates the interaction of the gamma-globin genes with enhancer elements contained in the locus control region in fetal erythroid cells. Interacts by binding to the stage selector element (SSE) in the proximal gamma-globin promoter.

Cellular Location

Nucleus

Tissue Location

Ubiquitous. Expressed in brain, ovary, kidney, thymus, spleen, liver, adrenal, heart and lung (at

protein level)

TFCP2 Blocking Peptide (Center) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Blocking Peptides](#)

TFCP2 Blocking Peptide (Center) - Images

TFCP2 Blocking Peptide (Center) - Background

Binds a variety of cellular and viral promoters including fibrinogen, alpha-globin, SV40 and HIV-1 promoters. Activation of the alpha-globin promoter in erythroid cells is via synergistic interaction with UBP1 (By similarity). Functions as part of the SSP (stage selector protein) complex. Facilitates the interaction of the gamma-globin genes with enhancer elements contained in the locus control region in fetal erythroid cells. Interacts by binding to the stage selector element (SSE) in the proximal gamma-globin promoter.

TFCP2 Blocking Peptide (Center) - References

Lim L.C.,et al.Mol. Cell. Biol. 12:828-835(1992).
Yoon J.-B.,et al.Mol. Cell. Biol. 14:1776-1785(1994).
Shirra M.K.,et al.Mol. Cell. Biol. 14:5076-5087(1994).
Ota T.,et al.Nat. Genet. 36:40-45(2004).
Mural R.J.,et al.Submitted (JUL-2005) to the EMBL/GenBank/DDBJ databases.