

**LSM3 Antibody (Center) Blocking Peptide**  
**Synthetic peptide**  
**Catalog # BP2832c****Specification**

---

**LSM3 Antibody (Center) Blocking Peptide - Product Information**Primary Accession [P62310](#)**LSM3 Antibody (Center) Blocking Peptide - Additional Information****Gene ID** 27258**Other Names**

U6 snRNA-associated Sm-like protein LSm3, LSM3

**Target/Specificity**

The synthetic peptide sequence used to generate the antibody [AP2832c](/products/AP2832c) was selected from the Center region of human LSM3. A 10 to 100 fold molar excess to antibody is recommended. Precise conditions should be optimized for a particular assay.

**Format**

Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

**Storage**

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

**Precautions**

This product is for research use only. Not for use in diagnostic or therapeutic procedures.

**LSM3 Antibody (Center) Blocking Peptide - Protein Information****Name** LSM3**Function**

Plays a role in pre-mRNA splicing as component of the U4/U6- U5 tri-snRNP complex that is involved in spliceosome assembly, and as component of the precatalytic spliceosome (spliceosome B complex) (PubMed: <http://www.uniprot.org/citations/28781166> target="\_blank">28781166</a>). The heptameric LSM2-8 complex binds specifically to the 3'-terminal U-tract of U6 snRNA (PubMed: <http://www.uniprot.org/citations/10523320> target="\_blank">10523320</a>).

**Cellular Location**

Nucleus

## **LSM3 Antibody (Center) Blocking Peptide - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Blocking Peptides](#)

## **LSM3 Antibody (Center) Blocking Peptide - Images**

## **LSM3 Antibody (Center) Blocking Peptide - Background**

Sm-like proteins were identified in a variety of organisms based on sequence homology with the Sm protein family. Sm-like proteins contain the Sm sequence motif, which consists of 2 regions separated by a linker of variable length that folds as a loop. The Sm-like proteins are thought to form a stable heteromer present in tri-snRNP particles, which are important for pre-mRNA splicing.

## **LSM3 Antibody (Center) Blocking Peptide - References**

Lehner,B., Genome Res. 14 (7), 1315-1323 (2004)Ingelfinger,D., RNA 8 (12), 1489-1501 (2002)