

Phospho-MYT1(T495) Antibody Blocking peptide
Synthetic peptide
Catalog # BP3173a**Specification**

Phospho-MYT1(T495) Antibody Blocking peptide - Product InformationPrimary Accession [Q99640](#)**Phospho-MYT1(T495) Antibody Blocking peptide - Additional Information****Gene ID** 9088**Other Names**

Membrane-associated tyrosine- and threonine-specific cdc2-inhibitory kinase, Myt1 kinase, PKMYT1, MYT1

Target/Specificity

The synthetic peptide sequence used to generate the antibody [AP3173a](/product/products/AP3173a) was selected from the 488-499 region of human Phospho-MYT1-T495. A 10 to 100 fold molar excess to antibody is recommended. Precise conditions should be optimized for a particular assay.

Format

Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

Storage

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

Precautions

This product is for research use only. Not for use in diagnostic or therapeutic procedures.

Phospho-MYT1(T495) Antibody Blocking peptide - Protein Information**Name** PKMYT1**Synonyms** MYT1**Function**

Acts as a negative regulator of entry into mitosis (G2 to M transition) by phosphorylation of the CDK1 kinase specifically when CDK1 is complexed to cyclins (PubMed: [9268380](http://www.uniprot.org/citations/9268380), PubMed: [9001210](http://www.uniprot.org/citations/9001210), PubMed: [10504341](http://www.uniprot.org/citations/10504341), PubMed: [10373560](http://www.uniprot.org/citations/10373560)). Mediates phosphorylation of CDK1 predominantly on 'Thr-14'. Also involved in Golgi fragmentation (PubMed: [9268380](http://www.uniprot.org/citations/9268380), PubMed: [9001210](http://www.uniprot.org/citations/9001210)).

May be involved in phosphorylation of CDK1 on 'Tyr-15' to a lesser degree, however tyrosine kinase activity is unclear and may be indirect (PubMed:9268380, PubMed:9001210).

Cellular Location

Endoplasmic reticulum membrane; Peripheral membrane protein. Golgi apparatus membrane; Peripheral membrane protein

Phospho-MYT1(T495) Antibody Blocking peptide - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Blocking Peptides](#)

Phospho-MYT1(T495) Antibody Blocking peptide - Images**Phospho-MYT1(T495) Antibody Blocking peptide - Background**

The protein encoded by this gene is a member of the serine/threonine protein kinase family. This kinase preferentially phosphorylates and inactivates cell division cycle 2 protein (CDC2), and thus negatively regulates cell cycle G2/M transition. This kinase is associated with the membrane throughout the cell cycle. Its activity is highly regulated during the cell cycle. Protein kinases AKT1/PKB and PLK (Polo-like kinase) have been shown to phosphorylate and regulate the activity of this kinase. Alternatively spliced transcript variants encoding distinct isoforms have been reported.

Phospho-MYT1(T495) Antibody Blocking peptide - References

Dai, X., et al., J. Invest. Dermatol. 122(6):1356-1364 (2004). Nakajima, H., et al., J. Biol. Chem. 278(28):25277-25280 (2003). Passer, B.J., et al., Proc. Natl. Acad. Sci. U.S.A. 100(5):2284-2289 (2003). Okumura, E., et al., Nat. Cell Biol. 4(2):111-116 (2002). Booher, R.N., et al., J. Biol. Chem. 272(35):22300-22306 (1997).