10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

Phospho-RAB24(Y17) Antibody Blocking peptide
Synthetic peptide
Catalog # BP3393a

Specification

Phospho-RAB24(Y17) Antibody Blocking peptide - Product Information

Primary Accession Q969Q5

Phospho-RAB24(Y17) Antibody Blocking peptide - Additional Information

Gene ID 53917

Other Names
Ras-related protein Rab-24, RAB24

Target/Specificity
The synthetic peptide sequence used to generate the antibody AP3393a was selected from the region of human Phospho-RAB24-Y17. A 10 to 100 fold molar excess to antibody is recommended. Precise conditions should be optimized for a particular assay.

Format
Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

Storage
Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

Precautions
This product is for research use only. Not for use in diagnostic or therapeutic procedures.

Phospho-RAB24(Y17) Antibody Blocking peptide - Protein Information

Name RAB24

Function
May be involved in autophagy-related processes.

Cellular Location
Cytoplasm, cytosol. Membrane; Lipid-anchor Note=Only about 20-25% is recovered in the particulate fraction

Phospho-RAB24(Y17) Antibody Blocking peptide - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Blocking Peptides

Phospho-RAB24(Y17) Antibody Blocking peptide - Images

Phospho-RAB24(Y17) Antibody Blocking peptide - Background

Macroautophagy is the major inducible pathway for the general turnover of cytoplasmic constituents in eukaryotic cells, it is also responsible for the degradation of active cytoplasmic enzymes and organelles during nutrient starvation. Macroautophagy involves the formation of double-membrane bound autophagosomes which enclose the cytoplasmic constituent targeted for degradation in a membrane bound structure, which then fuse with the lysosome (or vacuole) releasing a single-membrane bound autophagic bodies which are then degraded within the lysosome (or vacuole). The GTPase Rab24 is thought to be involved in the regulation of vesicular transport associated with autophagy.

Phospho-RAB24(Y17) Antibody Blocking peptide - References

Maltese,W.A., BMC Cell Biol. 3, 25 (2002)Erdman,R.A., J. Biol. Chem. 275 (6), 3848-3856 (2000)Olkkonen,V.M., J. Cell. Sci. 106 (PT 4), 1249-1261 (1993)