

FUT6 Antibody (Center) Blocking Peptide
Synthetic peptide
Catalog # BP4925c**Specification**

FUT6 Antibody (Center) Blocking Peptide - Product InformationPrimary Accession [P51993](#)**FUT6 Antibody (Center) Blocking Peptide - Additional Information****Gene ID** 2528**Other Names**

Alpha-(1, 3)-fucosyltransferase 6, Fucosyltransferase 6, Fucosyltransferase VI, Fuc-TVI, FucT-VI, Galactoside 3-L-fucosyltransferase, FUT6, FCT3A

Format

Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

Storage

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

Precautions

This product is for research use only. Not for use in diagnostic or therapeutic procedures.

FUT6 Antibody (Center) Blocking Peptide - Protein Information**Name** FUT6 ([HGNC:4017](#))**Synonyms** FCT3A**Function**

[Isoform 1]: Catalyzes the transfer of L-fucose, from a guanosine diphosphate-beta-L-fucose, to the N-acetyl glucosamine (GlcNAc) of a distal alpha2,3 sialylated lactosamine unit of a glycoprotein- or a glycolipid-linked sialopolylactosamines chain or of a distal or internal lactosamine unit of a neutral glycoprotein- or a glycolipid-linked polylactosamines chain through an alpha-1,3 glycosidic linkage and participates in surface expression of the sialyl Lewis X (sLe(x)), Lewis X (Le(x)) and non sialylated VIM2 determinants (PubMed: [9451035](http://www.uniprot.org/citations/9451035), PubMed: [1520296](http://www.uniprot.org/citations/1520296), PubMed: [1339443](http://www.uniprot.org/citations/1339443), PubMed: [7650030](http://www.uniprot.org/citations/7650030), PubMed: [17604274](http://www.uniprot.org/citations/17604274), PubMed: [9363434](http://www.uniprot.org/citations/9363434), PubMed: [10728707](http://www.uniprot.org/citations/10728707), PubMed: [29593094](http://www.uniprot.org/citations/29593094)). Moreover transfers fucose to H-type 2 (Fucalpha1-2Galbeta1-4GlcNAc) chain acceptor substrates and participates in difucosylated sialyl

Lewis x determinants (PubMed:17604274, PubMed:1339443). Also fucosylates a polylactosamine substrate having a 6 sulfate modification at the GlcNAc moiety and gives rise to sialyl and non-sialyl 6-sulfo lewis X (PubMed:10728707). Does not have activity towards type 1 ((Galbeta1-3GlcNAc)) and H-type 1 chain (Fucalpa1-2Galbeta1-3GlcNAc) acceptors substrates (PubMed:1339443, PubMed:17604274, PubMed:9363434).

Cellular Location

Golgi apparatus, Golgi stack membrane; Single- pass type II membrane protein. Golgi apparatus. Secreted Note=Membrane-bound form in trans cisternae of Golgi

Tissue Location

Kidney, liver, colon, small intestine, bladder, uterus and salivary gland

FUT6 Antibody (Center) Blocking Peptide - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Blocking Peptides](#)

FUT6 Antibody (Center) Blocking Peptide - Images

FUT6 Antibody (Center) Blocking Peptide - Background

FUT6 is a Golgi stack membrane protein that is involved in the creation of sialyl-Lewis X, an E-selectin ligand.

FUT6 Antibody (Center) Blocking Peptide - References

Norden, R., et al. Glycobiology 19(7):776-788(2009) Higai, K., et al. Glycoconj. J. 25(3):225-235(2008) Martinez-Duncker, I., et al. Glycobiology 14(1):13-25(2004)