

RBM24 Antibody (N-term) Blocking peptide

Synthetic peptide Catalog # BP5609a

Specification

RBM24 Antibody (N-term) Blocking peptide - Product Information

Primary Accession Q9BX46
Other Accession NP_694565.1

RBM24 Antibody (N-term) Blocking peptide - Additional Information

Gene ID 221662

Other Names

RNA-binding protein 24, RNA-binding motif protein 24, RNA-binding region-containing protein 6, RBM24, RNPC6

Format

Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

Storage

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

Precautions

This product is for research use only. Not for use in diagnostic or therapeutic procedures.

RBM24 Antibody (N-term) Blocking peptide - Protein Information

Name RBM24 (<u>HGNC:21539</u>)

Synonyms RNPC6

Function

Multifunctional RNA-binding protein involved in the regulation of pre-mRNA splicing, mRNA stability and mRNA translation important for cell fate decision and differentiation (PubMed:20977548, PubMed:24375645, PubMed:29358667, PubMed:29104163, Plays a major role in pre-mRNA alternative splicing regulation (PubMed:26990106, PubMed:29104163). Mediates preferentially muscle-specific exon inclusion in numerous mRNAs important for striated cardiac and skeletal muscle cell differentiation (PubMed:29104163). Binds to intronic splicing enhancer (ISE) composed of stretches of GU-rich motifs localized in flanking intron of exon that will be included by alternative splicing (By similarity). Involved in embryonic stem cell



(ESC) transition to cardiac cell differentiation by promoting pre-mRNA alternative splicing events of several pluripotency and/or differentiation genes (PubMed:26990106). Plays a role in the regulation of mRNA stability (PubMed:20977548, PubMed:24356969, PubMed:24375645, PubMed:29104163). Binds to 3'-untranslated region (UTR) AU-rich elements in target transcripts, such as CDKN1A and MYOG, leading to maintain their stabilities (PubMed: 20977548, PubMed:24356969). Involved in myogenic differentiation by regulating MYOG levels (PubMed: 20977548). Binds to multiple regions in the mRNA 3'-UTR of TP63 isoform 2, hence inducing its destabilization (PubMed:24375645). Promotes also the destabilization of the CHRM2 mRNA via its binding to a region in the coding sequence (PubMed: 29104163). Plays a role in the regulation of mRNA translation (PubMed:29358667). Mediates repression of p53/TP53 mRNA translation through its binding to U-rich element in the 3'-UTR, hence preventing EIF4E from binding to p53/TP53 mRNA and translation initiation (PubMed: 29358667). Binds to a huge amount of mRNAs (PubMed: 29104163). Required for embryonic heart development, sarcomer and M-band formation in striated muscles (By similarity). Together with RBM20, promotes the expression of short isoforms of PDLIM5/ENH in cardiomyocytes (By similarity).

Cellular Location

Nucleus {ECO:0000250|UniProtKB:Q6GQD3}. Cytoplasm {ECO:0000250|UniProtKB:D3Z4I3}

Tissue Location

Expressed in fetal and adult heart and skeletal muscles (PubMed:22345307, PubMed:25313962)

RBM24 Antibody (N-term) Blocking peptide - Protocols

Provided below are standard protocols that you may find useful for product applications.

• Blocking Peptides

RBM24 Antibody (N-term) Blocking peptide - Images

RBM24 Antibody (N-term) Blocking peptide - Background

RBM24 is preferentially expressed in muscle during differentiation in vitro and may regulate myogenic differentiation.

RBM24 Antibody (N-term) Blocking peptide - References

Miyamoto, S., et al. Genes Cells 14(11):1241-1252(2009)Lim, J., et al. Cell 125(4):801-814(2006)Mungall, A.J., et al. Nature 425(6960):805-811(2003)