

### **DNAJA1 Antibody (Center) Blocking peptide**

Synthetic peptide Catalog # BP5849c

#### **Specification**

### **DNAJA1 Antibody (Center) Blocking peptide - Product Information**

Primary Accession P31689
Other Accession NP\_001530.1

### DNAJA1 Antibody (Center) Blocking peptide - Additional Information

#### **Gene ID 3301**

#### **Other Names**

DnaJ homolog subfamily A member 1, DnaJ protein homolog 2, HSDJ, Heat shock 40 kDa protein 4, Heat shock protein J2, HSJ-2, Human DnaJ protein 2, hDj-2, DNAJA1, DNAJ2, HDJ2, HSJ2, HSPF4

#### **Format**

Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

#### Storage

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

#### **Precautions**

This product is for research use only. Not for use in diagnostic or therapeutic procedures.

## DNAJA1 Antibody (Center) Blocking peptide - Protein Information

#### Name DNAIA1

Synonyms DNAJ2, HDJ2, HSJ2, HSPF4

#### **Function**

Co-chaperone for HSPA8/Hsc70 (PubMed:<a href="http://www.uniprot.org/citations/10816573" target="\_blank">10816573</a>). Stimulates ATP hydrolysis, but not the folding of unfolded proteins mediated by HSPA1A (in vitro) (PubMed:<a

href="http://www.uniprot.org/citations/24318877" target="\_blank">24318877</a>). Plays a role in protein transport into mitochondria via its role as co-chaperone. Functions as a co-chaperone for HSPA1B and negatively regulates the translocation of BAX from the cytosol to mitochondria in response to cellular stress, thereby protecting cells against apoptosis (PubMed:<a href="http://www.uniprot.org/citations/14752510" target="http://www.uniprot.org/citations/14752510" target="http://www.uniprot.org/citations/14752

href="http://www.uniprot.org/citations/14752510" target="\_blank">14752510</a>). Promotes apoptosis in response to cellular stress mediated by exposure to anisomycin or UV (PubMed:<a href="http://www.uniprot.org/citations/24512202" target="\_blank">24512202</a>).

## **Cellular Location**

Membrane; Lipid- anchor. Cytoplasm. Microsome. Nucleus. Cytoplasm, perinuclear region. Mitochondrion Note=Primarily associated with microsomes. A minor proportion is associated with



mitochondria (By similarity). Primarily cytoplasmic. A minor proportion is associated with nuclei.

### **Tissue Location**

Ubiquitous. Isoform 2 is highly expressed in testis and lung, but detected at low levels in thymus, prostate, colon and liver.

# **DNAJA1** Antibody (Center) Blocking peptide - Protocols

Provided below are standard protocols that you may find useful for product applications.

Blocking Peptides

DNAJA1 Antibody (Center) Blocking peptide - Images